RECORD OF COMMUNICATION

REGIONAL SAMPLE CONTROL CENTER ROC #1

231780

DATE:

1/16/2008

TDF# 08-0205

SUBJECT:

: C

CLP Data Package for Quality Assurance Review

FROM: TO:

Hazardous Waste Support Section (HWSS)/RSCC

HWSS ESAT-TOPO

Attached is the following **ORGANIC** Data Package to be reviewed for **Quality** Assurance

SITE: Cornell Dubilier	CAS	SE #: 37088
SDG#: B4HK9, B4HP9, B4HM9	SAN	MPLER: W-RST
PROJ. CODE: RS SITE SPILL #: GZ	#SAMPLES	MATRIX
LAB: SHEALY OPERABLE UNIT: 00	60	Soil
TURN-AROUND-TIME: 21 day	····	
CERCLIS ID #: NJD981557879	FRACTION:	PCBs
Contaminant(s) of Concern (If known)		

REGION II RSCC DATA TRANSFER LOG

Relinquished By

Received By

Signature	Date/Time	Signature	Date/Time
Calme 300		Downa Cheist	no Min 2/4/08 8:450n.
~ Deinscheit	to Alix 26/08	She	halle 2/6/08
Shebitta	lu 2/21/08.	R.J.	Frelley 2/2/108
R.J. Show	lly 0/21/08/2	- Palit	2/21/08 Fun
Re Com	2/21/08 130	Remove	- 2/2/1/08 130
() amou	e 2/2/18	Pale 68	2/21/08
Adhy Michael	D2/21/08 3:35 pm) 2/2/08 3:35 PM
CM	Popilos 4 35PM	Adly Mi	hael 2/21/08 4 35 PM
		// //	

EPA SAMPLE NO.
B4HM9

Lab Name: S	healy Environmental Services, Inc.	Contract: EP-W-05-031	
Lab Code: S	HEALY Case No.: 37088 Mod.	Ref No.: SDG No.: B4HM	9
Matrix: (SC	oil/sed/water) <u>Soil</u>	Lab Sample ID: L13010-001	
Sample wt/v	rol: 15.0 (g/mL) g	Lab File ID: <u>017F1801</u>	
% Moisture:	14 Decanted: (Y/N) N	Date Received: <u>12/12/2007</u>	·
Extraction:	(Type) PFEX	Date Extracted: 12/18/2007	·····
Concentrate	d Extract Volume: 5000.0 (uL)	Date Analyzed: 12/22/2007	
	Volume: 1.0 (uL) GPC Factor: 1.0		
	p: (Y/N) N pH: 7.6		
	up: (Y/N) Y	- · · · · · · · · · · · · · · · · · · ·	
CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-2	Aroclor-1016	38	Ū
11104-28-2	Aroclor-1221	38	Ū
	Aroclor-1232	38	Ü
	Aroclor-1242	38	U
	Aroclor-1248	38	. 0
	Aroclor-1254	570490	_s * =
	Aroclor-1260	38	Ü
	Aroclor-1262	38	Ü
111100-14-4	Aroclor-1268	38.1	ט ו

* TRANSFERRED

FROM BHHM9DL

B4HN0

Lab Name: Shealy Environmental Services, Inc. C	ontract: <u>EP-W-05-031</u>	
Lab Code: SHEALY Case No.: 37088 Mod. Ref	No.: SDG No.: B4HM	19
Matrix: (SOIL/SED/WATER)Soil L	ab Sample ID: <u> L13010-002</u>	
Sample wt/vol: 15.0 (g/mL) g L	ab File ID: <u>018F1901</u>	
% Moisture: 30 Decanted: (Y/N) N D	ate Received: 12/12/2007	· .
Extraction: (Type) PFEX D	ate Extracted: 12/18/2007	
Concentrated Extract Volume: 5000.0 (uL)	oate Analyzed: 12/22/2007	
Injection Volume: 1.0 (uL) GPC Factor: 1.0	Dilution Factor: 1.0	
GPC Cleanup: (Y/N) N pH: 7.2 S	ulfur Cleanup: (Y/N) Y	
Acid Cleanup: (Y/N) Y		
CAS NO. COMPOUND	CONCENTRATION UNITS: (ug/L or ug/kg):ug/kg	Q
12674-11-2 Aroclor-1016	47	Ü
11104-28-2 Aroclor-1221	47	U
11141-16-5 Aroclor-1232	47	Ü
53469-21-9 Aroclor-1242	47	Ŭ
12672-29-6 Aroclor-1248	47	U
11097-69-1 Aroclor-1254	21000 29000	Es-🕏
11096-82-5 Aroclor-1260	47	Ū.
37324-23-5 Aroclor-1262	47	Ü
11100-14-4 Aroclor-1268	47	Ü

A TRANSFERRED FROM

BUHNODE

EPA	SAMPLE NO.	
	B4HN1	

Lab Name: <u>S</u>	healy Environmental Services, Inc.	Cont	ract: EP-W-05-031	
Lab Code: <u>S</u>	HEALY Case No.: 37088	Mod. Ref No.	: SDG No.: <u>B4HM</u>	9
Matrix: (SC	IL/SED/WATER)Soil	. Lab	Sample ID: <u> L13010-003</u>	
Sample wt/v	rol: 15.0 (g/mL) g	Lab	File ID: <u>019F2001</u>	
% Moisture:	Decanted: (Y/N)	N Date	Received: 12/12/2007	
Extraction:	(Type) PFEX	Date	Extracted: 12/18/2007	
Concentrate	d Extract Volume: 5000.0	(uL) Date	Analyzed: 12/22/2007	
Injection V	olume: 1.0 (uL) GPC Fact	or: 1.0	Dilution Factor: 1.0	
GPC Cleanup	o: (Y/N) N pH: 7.8	Sulf	ur Cleanup: (Y/N) Y	
	up: (Y/N) Y	,		
CAS NO.	COMPOUND		CONCENTRATION UNITS: (ug/L or ug/Kg): ug/kg	Q
	Aroclor-1016		38	Ū
11104-28-2	Aroclor-1221		38	Ü
11141-16-5	Aroclor-1232		38	U ,
53469-21-9	Aroclor-1242		38	U
12672-29-6	Aroclor-1248		. 38	Ū
	Aroclor-1254		2100025000	E8-7
	Aroclor-1260		38	<u>.</u>
	Aroclor-1262		38	Ü
11100-14-4	Aroclor-1268		38	Ū

* TRANSFERRED FROM BYHNIDL

EPA SAMPLE NO.
B4HN2RE

43

43

320

43

43

43

U

U

U

Ū

U

Lab Name: Sh	ealy Environmental Services, Inc.		Contract: EP-W-	05-031	
Lab Code: St	HEALY Case No.: 37088	_ Mod. Ref	No.:	SDG No.: B4HM	9
Matrix: (SO	IL/SED/WATER) <u>Soil</u>	- .	Lab Sample ID:	IL13010-004	
Sample wt/v	ol:15.0 (g/mL) <u>g</u>	_	Lab File ID: 01	4F1401	
% Moisture:	Decanted: (Y/N)	N	Date Received:	12/12/2007	
Extraction:	(Type) PFEX	_	Date Extracted	12/18/2007	
Concentrate	d Extract Volume: 5000.0	_ (uL)	Date Analyzed:	12/22/2007	
	olume: 1.0 (uL) GPC Fac		Dilution		
GPC Cleanup	: (Y/N) N pH: 5.8		Sulfur Cleanup	: (Y/N) Y	
Acid Cleanu	p: (Y/N) Y	•			• .
CAS NO.	COMPOUND		CONCENTR (ug/L or	ATION UNITS:	Q
12674-11-2	Aroclor-1016			43	Ū
11104-28-2	Aroclor-1221			43	Ü
11141-16-5	Aroclor-1232			43	ט

53469-21-9 Aroclor-1242

12672-29-6 Aroclor-1248

11096-82-5 Aroclor-1260

37324-23-5 Aroclor-1262

11100-14-4 Aroclor-1268

EPA SAMPLE NO.

B4HN3

Lab Name: Shealy Environmental Services, Inc. Con-	tract: EP-W-05-031	
Lab Code: SHEALY Case No.: 37088 Mod. Ref No.	sDG No.: <u>B4HM</u>	19
Matrix: (SOIL/SED/WATER)Soil Lab	Sample ID: <u>IL13010-005</u>	
Sample wt/vol: 15.0 (g/mL) g Lab	File ID: <u>021F2201</u>	
% Moisture: 12 Decanted: (Y/N) N Dat	e Received: 12/12/2007	
Extraction: (Type) PFEX Dat	e Extracted: <u>12/18/2007</u>	<u>, </u>
Concentrated Extract Volume: 5000.0 (uL) Dat	e Analyzed: 12/22/2007	
Injection Volume: 1.0 (uL) GPC Factor: 1.0	Dilution Factor: 1.0	
GPC Cleanup: (Y/N) N pH: 7.0 Sul	fur Cleanup: (Y/N) Y	
Acid Cleanup: (Y/N) Y		
CAS NO. COMPOUND	CONCENTRATION UNITS: (ug/L or ug/kg) ug/kg	Q
12674-11-2 Aroclor-1016	37	Ū
11104-28-2 Aroclor-1221	37	Ü
11141-16-5 Aroclor-1232	37	. Ü
53469-21-9 Aroclor-1242	37	Ū
12672-29-6 Aroclor-1248	37	Ū
11097-69-1 Aroclor-1254	3400 3500	E-S/X
11096-82-5 Aroclor-1260	37	Ū
37324-23-5 Aroclor-1262	37	U
11100-14-4 Aroclor-1268	37	ָּט

* TRANSFERRED FROM BYHN3DL

EPA	SAMPLE	NO.
	B4HN4	

Lab Name: Shealy Environmental Services, Inc.	Contract: EP-W-05-031
Lab Code: SHEALY Case No.: 37088 Mod. Re	f No.:SDG No.: B4HM9
Matrix: (SOIL/SED/WATER)Soil	Lab Sample ID: <u> L13010-006</u>
Sample wt/vol: 15.0 (g/mL) g	Lab File ID: <u>023F2401</u>
% Moisture: 12 Decanted: (Y/N) N	Date Received: 12/12/2007
Extraction: (Type) PFEX	Date Extracted: 12/18/2007
Concentrated Extract Volume: 5000.0 (uL)	Date Analyzed: 12/22/2007
Injection Volume: 1.0 (uL) GPC Factor: 1.0	
GPC Cleanup: (Y/N) N pH: 8.0	
Acid Cleanup: (Y/N) Y	
CAS NO. COMPOUND	CONCENTRATION UNITS: (ug/L or ug/kg): ug/kg Q
12674-11-2 Aroclor-1016	38 U
11104-28-2 Aroclor-1221	38 U
11141-16-5 Aroclor-1232	38 U
53469-21-9 Aroclor-1242	38 U
12672-29-6 Aroclor-1248	38 U
11097-69-1 Aroclor-1254	31000 29000 EPS
11096-82-5 Aroclor-1260	38 U
37324-23-5 Aroclor-1262	38 U
11100-14-4 Aroclor-1268	38 U

* TRANSFERRED FROM BYHNYDL

EPA SAMPLE NO.
B4HN5

Lab Name: Sh	ealy Environmental Services, Inc.	ntract: EP-W-05-031	<u> </u>	
Lab Code: St	HEALY Case No.: 37088 Mod. Ref 1	No.: SDG No.: B4HM	19	
Matrix: (SO	IL/SED/WATER)Water La	b Sample ID: <u> L13010-007</u>	·	
Sample wt/ve	ol: 1000 (g/mL) mL La	b File ID: <u>017F1801</u>	·	
% Moisture:	Decanted: (Y/N) Da	te Received: 12/12/2007		
Extraction:	(Type) CONT Da	te Extracted: 12/17/2007		
•	d Extract Volume: 10000.0 (uL) Da			
	Injection Volume: 1.0 (uL) GPC Factor: 1.0 Dilution Factor: 1.0			
GPC Cleanup	: (Y/N) N pH: Su	lfur Cleanup: (Y/N) Y		
Acid Cleanu	p: (Y/N) Y			
CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/L	Q	
12674-11-2	Aroclor-1016	1.0	บ	
11104-28-2	Aroclor-1221	1.0	Ŭ	
	Aroclor-1232	1.0	Ü	
	Aroclor-1242	1.0	Ü	
	Aroclor-1248	1.0	Ü	
	Aroclor-1254	1.0	U	
	Aroclor-1260	1.0	Ŭ	
	Aroclor-1262	1.0	U	
11100-14-4	Aroclor-1268	1.0	Ū	

EPA SAMPLE NO.
B4HN6MS(1)

Lab Name: Sr	nealy Environmental Services, Inc.	Contract: EP-W-05-031	
Lab Code: Sh	HEALY Case No.: 37088 Mod. Ref	No.: SDG No.: B4HM	19
Matrix: (SO	IL/SED/WATER) <u>Soil</u>	Lab Sample ID: <u> L13010-008MS</u>	<u> </u>
Sample wt/v	ol:15.0 (g/mL) g	Lab File ID: <u>022F2301</u>	
% Moisture:	14 Decanted: (Y/N) N	Date Received: 12/12/2007	···_
Extraction:	(Type) PFEX	Date Extracted: 12/18/2007	
Concentrate	d Extract Volume: 5000.0 (uL)	•	
	olume: 1.0 (uL) GPC Factor: 1.0	Dilution Factor: 1.0	
GPC Cleanup	: (Y/N) N pH: 7.1	Sulfur Cleanup: (Y/N) Y	
	p: (Y/N) Y		
CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg): ug/kg	Q
12674-11-2	Aroclor-1016	130	
11104-28-2	Aroclor-1221	38	Ŭ.
11141-16-5	Aroclor-1232	38	. U
53469-21-9	Aroclor-1242	38	Ü
	Aroclor-1248	38	Ü
	Aroclor-1254	200	J
	Aroclor-1260	190	
	Aroclor-1262	38	Ū
111100-14-4	Aroclor-1268	38	. ប

EPA SAMPLE NO.

B4HN6MSD(1)

Lab Name: St	nealy Environmental Services, Inc.	Contract: EP-W-	05-031	
Lab Code: St	HEALY Case No.: 37088 Mod. Re	f No.:	SDG No.: B4HM	19
Matrix: (SO	IL/SED/WATER)Soil	Lab Sample ID:	IL13010-008MD	
Sample wt/v	ol: 15.0 (g/mL) g	Lab File ID: 0	25F2601	
% Moisture:	14 Decanted: (Y/N) N	Date Received:	12/12/2007	
Extraction:	(Type) PFEX	Date Extracted	i :12/18/2007	· · · · · · · · · · · · · · · · · · ·
Concentrate	d Extract Volume: 5000.0 (uL)	Date Analyzed	12/22/2007	
	olume: 1.0 (uL) GPC Factor: 1.0			
GPC Cleanup	: (Y/N) N pH: 7.1	Sulfur Cleanup	o: (Y/N) Y	
Acid Cleanu	p: (Y/N) Y			
CAS NO.	COMPOUND	CONCENTR (ug/L or	ATION UNITS:	Q
12674-11-2	Aroclor-1016		130	·
	Aroclor-1221		38	Ū
	Aroclor-1232		38	Ū
	Aroclor-1242		38	ט
	Aroclor-1248		38	U
	Aroclor-1254		180	<u>J.</u>
	Aroclor-1260	· · ·	180	
	Aroclor-1262		38	ט
11100-14-4	Aroclor-1268	ł	38 i	l. U

EPA SAMPLE NO.

B4HN6RE

Lab Name: Shealy Environmental Services, Inc.	Contract: EP-W-05-031	
Lab Code: SHEALY Case No.: 37088 Mod.	Ref No.: SDG No.: B4HM9	
Matrix: (SOIL/SED/WATER)Soil	Lab Sample ID: L13010-008	
Sample wt/vol: 15.0 (g/mL) g	Lab File ID: 018F1801	
% Moisture: 14 Decanted: (Y/N) N	Date Received: <u>12/12/2007</u>	
Extraction: (Type) PFEX	Date Extracted:12/18/2007	· · · · · · · · · · · · · · · · · · ·
Concentrated Extract Volume: 5000.0 (uL)	Date Analyzed: 12/22/2007	
Injection Volume: 1.0 (uL) GPC Factor: 1.0		
GPC Cleanup: (Y/N) N pH: 7.1	Sulfur Cleanup: (Y/N) Y	
Acid Cleanup: (Y/N) Y		
CAS NO. COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-2 Aroclor-1016	38	Ū
11104-28-2 Aroclor-1221	38	. ט
11141-16-5 Aroclor-1232	38	Ū
53469-21-9 Aroclor-1242	38	U
12672-29-6 Aroclor-1248	38	Ū .

11097-69-1 Aroclor-1254

11096-82-5 Aroclor-1260

37324-23-5 Aroclor-1262

11100-14-4 Aroclor-1268

120

38

38

38

Ū

U

U

EPA SAMPLE NO.

B4HN7

Lab Name: Shealy Environmental Services, Inc.	Contract: EP-W-05-031	
Lab Code: SHEALY Case No.: 37088 Mod. Re	ef No.: SDG No.: B4HM	9 .
Matrix: (SOIL/SED/WATER)Soil	Lab Sample ID: <u> L13010-009</u>	
Sample wt/vol: 15.0 (g/mL) g	Lab File ID: 026F2701	
% Moisture: 27 Decanted: (Y/N) N	Date Received: <u>12/12/2007</u>	
Extraction: (Type) PFEX	Date Extracted: 12/18/2007	·
Concentrated Extract Volume: 5000.0 (uL)	Date Analyzed: 12/22/2007	
Injection Volume: 1.0 (uL) GPC Factor: 1.0	Dilution Factor: 1.0	
GPC Cleanup: (Y/N) N pH: 7.2	Sulfur Cleanup: (Y/N) Y	
Acid Cleanup: (Y/N) Y		
CAS NO. COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-2 Aroclor-1016	45	บ
11104-28-2 Aroclor-1221	45	· U
11141-16-5 Aroclor-1232	45	Ū
53469-21-9 Aroclor-1242	45	ט
12672-29-6 Aroclor-1248	45	U
11097-69-1 Aroclor-1254	2700031000	₹ %€
11096-82-5 Aroclor-1260	45	Ū.
37324-23-5 Aroclor-1262	45	U
11100-14-4 Aroclor-1268	45	ט ו

* TRANSFERRED

FROM BHHNADL

EPA	SAMPLE	NO
	B4HN8	

Lab Name: <u>Sh</u>	ealy Environmental Services, Inc.	_	Contr	act: <u>EP-W-05-031</u>	
Lab Code: Sh	HEALY Case No.: 37088	_ Mod. Re	ef No.	: SDG No.: <u>B4HM</u>	19
Matrix: (SO	IL/SED/WATER)Soil	_	Lab S	Sample ID: <u> L13010-010</u>	·
Sample wt/v	ol: <u>15.0</u> (g/mL) <u>g</u>	_	Lab E	File ID: <u>027F2801</u>	·
% Moisture:	20 Decanted: (Y/N)	N	Date	Received: 12/12/2007	
Extraction:	(Type) PFEX	- .	Date	Extracted: 12/18/2007	,
Concentrate	d Extract Volume: 5000.0	_ (uL)	Date	Analyzed: 12/22/2007	
	olume: 1.0 (uL) GPC Fac				
•	: (Y/N) N pH: 6.9				
	p: (Y/N) Y				
CAS NO.	COMPOUND			CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-2	Aroclor-1016			41	Ü
11104-28-2	Aroclor-1221			41	U
11141-16-5	Aroclor-1232			. 41	U .
53469-21-9	Aroclor-1242			41	Ü
12672-29-6	Aroclor-1248			41	U .
	Aroclor-1254			18000 20000	_B& #
	Aroclor-1260			41	Ü
	Aroclor-1262			41	U
11100-14-4	Aroclor-1268			41	ן ט

A TRANSFERRED FROM BUHNEDL

EPA	SAMPLE	NO.	
	B4HN9		

Lab Name: Sh	ealy Environmental Services, Inc.	-	Contr	act: EP-W-05-031	
Lab Code: St	HEALY Case No.: 37088	_ Mod. Re	f No.	: SDG No.: <u>B4H</u>	М9
	IL/SED/WATER)Soil			ample ID: <u>HL13010-011</u>	
Sample wt/v	ol: 15.0 (g/mL) g		Lab F	ile ID: 028F2901	
% Moisture:	17 Decanted: (Y/N)	N	Date	Received: 12/12/2007	
	(Type) PFEX		Date	Extracted: 12/18/2007	Jan.
Injection V GPC Cleanup	d Extract Volume: 5000.0 olume: 1.0 (uL) GPC Factors (Y/N) N pH: 6.3	ctor: 1.0	·····	Dilution Factor: 1.0	
CAS NO.	COMPOUND			CONCENTRATION UNITS: (ug/L or ug/Kg): ug/kg	L Q
12674-11-2	Aroclor-1016			40	Ū
11104-28-2	Aroclor-1221			40	U
11141-16-5	Aroclor-1232	•		40	U
53469-21-9	Aroclor-1242			40	Ū
12672-29-6	Aroclor-1248			40	ט
11097-69-1	Aroclor-1254			300003±000	_£s A
11096-82-5	Aroclor-1260			40	U .
37324-23-5	Aroclor-1262			40	U
111100-14-4	Aroclor-1268			40	υ·

& TRANSFERRED FROM BYHNGOL

EPA SAMPLE NO.
B4HP0

Lab Name: Shealy Environmental Service	es, Inc.	Contract: EP-W	-05-031	•
Lab Code: SHEALY Case No.: 37	088 Mod. Re	f No.:	SDG No.: B4HM	9
Matrix: (SOIL/SED/WATER)Soil		Lab Sample ID	: <u>IL13010-012</u>	
Sample wt/vol:15.0 (g/mL)) <u>g</u>	Lab File ID:	29F3001	
% Moisture: 17 Decanted:	(Y/N) N	Date Received	: 12/12/2007	
Extraction: (Type) PFEX	·	Date Extracte	d:12/18/2007	
Concentrated Extract Volume: 5	5000.0 (uL)	Date Analyzed	1: 12/22/2007	·
Injection Volume: 1.0 (uL)	GPC Factor: 10	Dilutior	Factor: 1.0	
GPC Cleanup: (Y/N) N p			•	
Acid Cleanup: (Y/N) Y				•
CAS NO. COMPOUND		CONCENT (ug/L or	RATION UNITS: ug/Kg):ug/kg	Ω.
12674-11-2 Aroclor-1016			40	Ū
11104-28-2 Aroclor-1221			40	Ŭ
11141-16-5 Aroclor-1232			40	. U
53469-21-9 Aroclor-1242			. 40	Ü
12672-29-6 Aroclor-1248			40	U
11097-69-1 Aroclor-1254	· · · · · · · · · · · · · · · · · · ·	1	8000 22000-	ES 🛊
11096-82-5 Aroclor-1260	<u></u>		40	<u> </u>
37324-23-5 Aroclor-1262			40	U
11100-14-4 Aroclor-1268			40	U

* TRANSFERRED FROM BUHPODL

EPA SAMPLE NO.

B4HP1

Lab Name: S	healy Environmental Services, Inc.	Cont	ract: EP-W-05-031	
Lab Code: S	HEALY Case No.: 37088 Mod. F	Ref No.	: SDG No.: B4HN	19
Matrix: (SC	DIL/SED/WATER) Soil	Lab :	Sample ID: <u> L13010-013</u>	
Sample wt/v	vol: 15.0 (g/mL) g	Lab 1	File ID: 030F3101	
	17 Decanted: (Y/N) N	Date	Received: 12/12/2007	
	(Type) PFEX		Extracted: 12/18/2007	
Concentrate	ed Extract Volume: 5000.0 (uL)		**	·
	Volume: 1.0 (uL) GPC Factor: 1.0			• .
GPC Cleanup	p: (Y/N) N pH: 6.6	Sulfi	ur Cleanup: (Y/N) Y	
•	up: (Y/N) Y			
CAS NO.	COMPOUND		CONCENTRATION UNITS: (ug/L or ug/Kg): ug/kg	Q
12674-11-2	Aroclor-1016		40	Ū
	Aroclor-1221		40	ט
	Aroclor-1232		. 40	Ü
	Aroclor-1242		40	· U
	Aroclor-1248		40	U
	Aroclor-1254		2 000 23000	E8 🌣
	Aroclor-1260		40	U
137324-23-5	Aroclor-1262	1	40	'

11100-14-4 Aroclor-1268

* TRANSFERRED FROM BUHPIDL

EPA SAMPLE NO.
B4HP2

Lab Name: SI	healy Environmental Services, Inc.	Contract: EP	-W-05-031	
Lab Code: S	HEALY Case No.: 37088 Mod.	Ref No.:	SDG No.: B4HM	9
Matrix: (SO	IL/SED/WATER)Soil	Lab Sample	ID: IL13010-014	
Sample wt/v	rol: 15.0 (g/mL) g	Lab File ID	: 031F3201	
% Moisture:	Decanted: (Y/N) N	Date Receive	ed: 12/12/2007	
Extraction:	(Type)_PFEX	Date Extrac	ted: <u>12/18/2007</u>	
	d Extract Volume: 5000.0 (uL)		•	
	Volume: 1.0 (uL) GPC Factor: 1.0			
GPC Cleanup	o: (Y/N) N pH: 6.8	Sulfur Clea	nup: (Y/N) Y	
	up: (Y/N) Y	•		
CAS NO.	COMPOUND		NTRATION UNITS:	Q
12674-11-2	Aroclor-1016		. 44	U
11104-28-2	Aroclor-1221		44	U
11141-16-5	Aroclor-1232		44	υ
	Aroclor-1242		44	Ū
	Aroclor-1248		44	U
	Aroclor-1254	2	29 00 0_32000	ES A
	Aroclor-1260		44	ט "
	Aroclor-1262		44	Ū
111100-74-4	Aroclor-1268	l	1 1	77

A TRANSFERRED

FROM

B4HP2DL

EPA SAMPLE NO.
B4HP3

Lab Name: St	nealy Environmental Services, Inc.	_	Contract: EP-	N-05-031	
Lab Code: Si	HEALY Case No.: 37088	Mod. Re	f No.:	_ SDG No.: B4HM	9
Matrix: (SO	IL/SED/WATER)Soil		Lab Sample I	D: <u>IL13010-015</u>	·
Sample wt/v	ol:15.0 (g/mL) g		Lab File ID:	032F3301	
% Moisture:	Decanted: (Y/N)	N .	Date Receive	d: <u>12/12/2007</u>	
•	(Type) PFEX d Extract Volume: 5000.0	— (::T)	Date Extract	*	
Injection V	olume: 1.0 (uL) GPC Fa	actor: 1.0	Dilutio	n Factor: 1.0	
	p: (Y/N) N pH: 6.8	<u>'</u>	Sullul Clean	up. (1/N)	
CAS NO.	COMPOUND			TRATION UNITS:	Q
12674-11-2	Aroclor-1016			40	Ü
11104-28-2	Aroclor-1221			40	. Ŭ
11141-16-5	Aroclor-1232			40	Ū
53469-21-9	Aroclor-1242			40	Ü
	Aroclor-1248 '	·		40	Ü
	Aroclor-1254	,		7000 21000	_ <u>₽6</u> ★
	Aroclor-1260			40	Ū
	Aroclor-1262			40	Ü
11100-14-4	Aroclor-1268		j .	40	Ū

* TRANSFERRED FROM B4HP3 DL

EPA	SAMPLE	NO.	
	В4НР4		

Lab Name: <u>Sh</u>	ealy Environmental Services, Inc.	Contr	act: EP-W-05-031	
Lab Code: <u>SH</u>	EALY Case No.: 37088 Mod.	Ref No.	: SDG No.: <u>B4HM</u>	19
Matrix: (SO	IL/SED/WATER)Soil	Lab	Sample ID: <u> L13010-016</u>	
Sample wt/vo	ol: 15.0 (g/mL) g	Lab H	File ID: 033F3401	
% Moisture:	19 Decanted: (Y/N) N	Date	Received: 12/12/2007	
Extraction:	(Type) PFEX	Date	Extracted: 12/18/2007	
	d Extract Volume: 5000.0 (uL)	Date	Analyzed: 12/22/2007	
	olume: 1.0 (uL) GPC Factor: 1.0		·	
GPC Cleanup	: (Y/N) N pH: 7.0 p: (Y/N) Y			,
CAS NO.	COMPOUND		CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-2	Aroclor-1016		41	ָ ט
11104-28-2	Aroclor-1221		41	· U
11141-16-5	Aroclor-1232		. 41	ט
53469-21-9	Aroclor-1242		41	Ü
12672-29-6	Aroclor-1248		41	Ū
11097-69-1	Aroclor-1254		24000 30000	#8 *
11096-82-5	Aroclor-1260		41	ΰ
37324-23-5	Aroclor-1262		41	U
122200-24-4	inaalam-1260			

* TRANSPERRED FROM B4HP4DL

EPA SAMPLE NO.
B4HP5

rap Name:	healy Environmental Services, Inc.	Contract: E	P-VV-05-031	
Lab Code: S	HEALY Case No.: 37088 Mod.	Ref No.:	SDG No.: B4HM9)
Matrix: (So	DIL/SED/WATER)Soil	Lab Sample	ID: <u>IL13010-017</u>	
Sample wt/	vol: 15.0 (g/mL) g	Lab File II	: <u>034F3501</u>	
% Moisture	15 Decanted: (Y/N) N	Date Recei	red: <u>12/12/2007</u>	
Extraction	(Type) PFEX	Date Extra	cted: <u>12/18/2007</u>	
Concentrate	ed Extract Volume: 5000.0 (uL)	Date Analy	zed: <u>12/22/2007</u>	
Injection	Volume: 1.0 (uL) GPC Factor: 1.0	Dilut	ion Factor: 1.0	
GPC Cleanu	o: (Y/N) N pH: 6.4	Sulfur Cle	anup: (Y/N) Y	
	up: (Y/N) Y			
CAS NO.	COMPOUND		or ug/Kg) ug/kg	Q
12674-11-2	N1 1016		01 dg/11g/	
1	Aroctor-1016		39	Ü
11104-28-2	Aroclor-1016 Aroclor-1221			Ü Ü
	Aroclor-1221		39	
11141-16-5			39 39	Ū
11141-16-5 53469-21-9	Aroclor-1221 Aroclor-1232		39 39 39	Ü Ü
11141-16-5 53469-21-9 12672-29-6	Aroclor-1221 Aroclor-1232 Aroclor-1242		39 39 39 39	U U U
11141-16-5 53469-21-9 12672-29-6 11097-69-1	Aroclor-1221 Aroclor-1232 Aroclor-1242 Aroclor-1248		39 39 39 39 39	U U U
11141-16-5 53469-21-9 12672-29-6 11097-69-1 11096-82-5	Aroclor-1221 Aroclor-1232 Aroclor-1242 Aroclor-1248 Aroclor-1254		39 39 39 39 39 1300 1500	U U U U

A TRANSFERRED FROM BYHPSDL

EPA SAMPLE NO.
B4HP6RE

Lab Name: Shealy Env	vironmental Services, Inc.		Contra	ict: EP-W-05-031	
Lab Code: SHEALY	Case No.: 37088	_ Mod. Re	ef No.:	SDG No.: B4HM	9
Matrix: (SOIL/SED	/WATER) Soil	_	Lab Sa	ample ID: <u>IL13010-018</u>	
Sample wt/vol:	15.0 (g/mL) g		Lab Fi	le ID: <u>029F2901</u>	·
% Moisture: 32	Decanted: (Y/N)	N	Date I	Received: 12/12/2007	
Extraction: (Type				Extracted: 12/18/2007	
Concentrated Extr	act Volume: 5000.0	(uL)	Date .	Analyzed: 12/22/2007	
	1.0 (uL) GPC Fa			Dilution Factor: 1.0	
	n) N pH: 6.6	-		r Cleanup: (Y/N) Y	
Acid Cleanup: (Y/	· ·				
CAS NO. COMPO	DUND			CONCENTRATION UNITS: (ug/L or ug/Kg) :ug/kg	Q
12674-11-2 Aroclo	or-1016			49	Ū
11104-28-2 Aroclo	or-1221			49	Ū
11141-16-5 Aroclo	or-1232	·		49	Ū
53469-21-9 Aroclo	or-1242			49	U
12672-29-6 Aroclo				49	Ü
11097-69-1 Aroclo				170	A
11096-82-5 Aroclo				49	U
127224 22 5 3 3 3 3	1000		1	40	1 1

EPA SAMPLE NO.
B4HP7

Lab Name: St	nealy Environmental Services, Inc.	Contrac	t: EP-W-05-031	
Lab Code: SI	HEALY Case No.: 37088 Mod. Re	f No.:_	SDG No.: B4HM9	<u> </u>
Matrix: (SO	IL/SED/WATER)Soil	Lab Sam	ple ID: <u>IL13010-019</u>	
Sample wt/v	ol:15.0 (g/mL) <u>g</u>	Lab Fil	e ID: <u>036F3701</u>	
% Moisture:	21 Decanted: (Y/N) N	Date Re	ceived: <u>12/12/2007</u>	
Extraction:	(Type) PFEX	Date Ex	tracted: <u>12/18/2007</u>	
Concentrate	d Extract Volume: 5000.0 (uL)			
	olume: 1.0 (uL) GPC Factor: 1.0			
GPC Cleanup	: (Y/N) N pH: 7.3	Sulfur	Cleanup: (Y/N) Y	·
Acid Cleanu	p: (Y/N) Y			
CAS NO.	COMPOUND		ONCENTRATION UNITS: g/L or ug/kg):uq/kq	Q
12674-11-2	Aroclor-1016		42	U
11104-28-2	Aroclor-1221		42	Ū
11141-16-5	Aroclor-1232	; , <u> </u>	42	Ū
53469-21-9	Aroclor-1242		42	Ū
	Aroclor-1248	· .	42	U
11097-69-1	Aroclor-1254		340 400	ل الا عر
11096-82-5	Aroclor-1260		42	Ū
37324-23-5	Aroclor-1262		42	ָט
11100-14-4	Aroclor-1268	1	42	Ū

* TRANSFERRED

FROM BAHPADL

EPA SAMPLE NO.

B4HP8

Lab Name: Sh	ealy Environmental Services, Inc.	Contr	eact: EP-W-05-031	
Lab Code: Sh	HEALY Case No.: 37088 Mc	d. Ref No.	: SDG No.: <u>B4HN</u>	19
Matrix: (SO	IL/SED/WATER)Soil	Lab S	Sample ID: <u> L13010-020</u>	
Sample wt/v	ol: <u>15.0</u> (g/mL) <u>g</u>	Lab I	File ID: <u>037F3801</u>	· · · · · · · · · · · · · · · · · · ·
% Moisture:	20 Decanted: (Y/N) N	Date	Received: 12/12/2007	
Extraction:	(Type) PFEX	Date	Extracted: 12/18/2007	
Concentrated Extract Volume: 5000.0 (uL) Date Analyzed: 12/22/2007				
	olume: 1.0 (uL) GPC Factor		·	
GPC Cleanup	: (Y/N) N pH: 6.3	Sulf	ur Cleanup: (Y/N) Y	
	p: (Y/N) Y	•		
CAS NO.	COMPOUND		CONCENTRATION UNITS: (ug/L or ug/kg):ug/kg	Q
12674-11-2	Aroclor-1016		41	Ū
11104-28-2	Aroclor-1221		. 41	Ü
11141-16-5	Aroclor-1232		41	Ü
	Aroclor-1242		41	Ü
	Aroclor-1248		41	Ü
	Aroclor-1254		420520	
	Aroclor-1260		41	Ü
	Aroclor-1262		41	Ü
11100-14-4	Aroclor-1268		41	Ū

* TRANSFERRED

FROM

BUILDS DL

EPA SANPLE NO.
ALCS71(2)

Lab Name: Shealy Environn	nental Services, Inc.	Con	tract: <u>EP-W-05-031</u>	·
Lab Code: SHEALY Cas	se No.: 37088	Mod. Ref No	SDG No.: B4HM	19
Matrix: (SOIL/SED/WA		•	Sample ID: <u>IQ69871-002</u>	· · · · · · · · · · · · · · · · · · ·
Sample wt/vol: 1	000 (g/mL) mL	Lab	File ID: 016F1701	
% Moisture:	Decanted: (Y/N)	Dat	e Received:	
Extraction: (Type) C			e Extracted: 12/17/2007	
•		(uL) Dat	e Analyzed: <u>12/20/2007</u>	
			Dilution Factor: 1.0	
GPC Cleanup: (Y/N)	N pH:	Sul	fur Cleanup: (Y/N) Y	
Acid Cleanup: (Y/N)_				
CAS NO. COMPOUND			CONCENTRATION UNITS: (ug/L or ug/Kg): ug/L	Q
12674-11-2 Aroclor-1	016		0.89	J.
11104-28-2 Aroclor-1	221		1.0	Ü
11141-16-5 Aroclor-1	232		1.0	Ü
53469-21-9 Aroclor-1	242		1.0	Ü
12672-29-6 Aroclor-1	248		1.0	U
11097-69-1 Aroclor-1	254		1.0	Ū
11096-82-5 Aroclor-1	260		0.97	J
37324-23-5 Aroclor-1	262		1.0	· U
111100-14-4 Aroclor-1	268	•	1 0	77

EPA SAMPLE NO.
ALCS59(1)

33

33

36

33

U

U

U

Lab Name: St	nealy Environmental Services, Inc.	Contract: EP-W-05-031	
Lab Code: <u>S</u>	HEALY Case No.: 37088 Mod. R	ef No.: SDG No.: B4HMS	9
Matrix: (SO	IL/SED/WATER)Soil	Lab Sample ID: <u>IQ69959-002</u>	
Sample wt/v	ol: 15.0 (g/mL) g	Lab File ID: 016F1701	
% Moisture:	0.00 Decanted: (Y/N) N	Date Received:	
Extraction:	(Type) PFEX	Date Extracted: 12/18/2007	
Concentrate	d Extract Volume: 5000.0 (uL)	Date Analyzed: 12/22/2007	
	Volume: 1.0 (uL) GPC Factor: 1.0		
GPC Cleanup	o: (Y/N) N pH: 0.0	Sulfur Cleanup: (Y/N) Y	
Acid Clean	up: (Y/N) Y		-
CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	· Q
12674-11-2	Aroclor-1016	37	
11104-28-2	Aroclor-1221	33	Ų
	Aroclor-1232	33	Ü
	Aroclor-1242	33	U

12672-29-6 Aroclor-1248

11097-69-1 Aroclor-1254

11096-82-5 Aroclor-1260

37324-23-5 Aroclor-1262

11100-14-4 Aroclor-1268

EPA SAMPLE NO.

B4HP9

Lab Name: S	healy Environmental Services, Inc.	Contract: E	P-W-05-031	
Lab Code: S	HEALY Case No.: 37088 Mod. F	Ref No.:	SDG No.: B4HP	9
Matrix: (SO	IL/SED/WATER)Soil	Lab Sample	ID: <u>IL13011-001</u>	
Sample wt/v	ol:15.0 (g/mL) g		D: 020F2001	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
	20	•	ved: <u>12/12/2007</u>	
	(Type) PFEX		cted:12/20/2007	·
Concentrate	d Extract Volume: 5000.0 (uL)			
Injection V	olume: 1.0 (uL) GPC Factor: 1.0	Dilut	ion Factor: 1.0	
GPC Cleanup	e: (Y/N) N pH: 6.6	Sulfur Cle	anup: (Y/N) N	
	np: (Y/N) Y			
CAS NO.	COMPOUND		ENTRATION UNITS: or ug/Kg):ug/kg	Q
12674-11-2	Aroclor-1016		41	U
11104-28-2	Aroclor-1221		41	Ū
	Aroclor-1232		41	Ü
	Aroclor-1242		41	υ
	Aroclor-1248		41	U
	Aroclor-1254		4901000	-ery J
	Aroclor-1260		41	Ū,
	Aroclor-1262	٠.	41	Ŭ,
11100-14-4	Aroclor-1268	1	41	יט

A TRANSFERED FROM BYHP9DL

EPA SAMPLE NO. B4HQ0

Lab Name: Shealy Environmental Services, Inc.	Contract: EP-W-05-031	·
Lab Code: SHEALY Case No.: 37088 Mod.	Ref No.: SDG No.: B4HP9	
Matrix: (SOIL/SED/WATER)Soil	Lab Sample ID: <u>NL13011-002</u>	
Sample wt/vol: 15.0 (g/mL) g	Lab File ID: <u>021F2101</u>	
% Moisture: 34 Decanted: (Y/N) N	Date Received: 12/12/2007	
Extraction: (Type) PFEX	Date Extracted:12/20/2007	
Concentrated Extract Volume: 5000.0 (uL)	40/20/0007	
Injection Volume: 1.0 (uL) GPC Factor: 1.0		-
GPC Cleanup: (Y/N) N pH: 7.3	Sulfur Cleanup: (Y/N) N	
Acid Cleanup: (Y/N) Y		
CAS NO. COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kq Q	
12674-11-2 Aroclor-1016	50 บ	7
11104-28-2 Aroclor-1221	50. บั	•
11141-16-5 Aroclor-1232	50 U	
53469-21-9 Aroclor-1242	50 U	
12672-29-6 Aroclor-1248	50 U	
11097-69-1 Aroclor-1254		*
11096-82-5 Aroclor-1260	50 U	
37324-23-5 Aroclor-1262	50 U	
11100-14-4 Aroclor-1268	50 U	

* TRANSFERRED

FROM

BUHRODL

EPA SAMPLE NO. B4HQ1

Lab Name: 5	Shealy Environmental Services, Inc.	Contra	act: EP-W-05-031	
Lab Code: S	SHEALY Case No.: 37088 Mod.	Ref No.:	SDG No.: B4HP9)
Matrix: (So	OIL/SED/WATER) Soil	Lab Sa	ample ID: <u> L13011-003</u>	<u></u>
Sample wt/	vol: 15.0 (g/mL) g	Lab F	ile ID: <u>022F2201</u>	
% Moisture	: 18 Decanted: (Y/N) N	Date I	Received: 12/12/2007	
Extraction	: (Type) PFEX	Date 1	Extracted: 12/20/2007	
	ed Extract Volume: 5000.0 (uL) Volume: 1.0 (uL) GPC Factor: 1.0		Analyzed: 12/23/2007 Dilution Factor: 1.0	
	p: (Y/N) N pH: 7.2 up: (Y/N) Y	Sulfu	r Cleanup: (Y/N) N	
CAS NO.	COMPOUND		CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-2	Aroclor-1016		40	U
11104-28-2	Aroclor-1221		40	Ū
11141-16-5	Aroclor-1232		40	. U
53469-21-9	Aroclor-1242		40	. U
	Aroclor-1248		40	U
11097-69-1	Aroclor-1254		200	- P
11096-82-5	Aroclor-1260		40	ָ ט
37324-23-5	Aroclor-1262		40	Ü
111100-14-4	Aroclor-1268		40	F7

EPA	SAMPLE	NO.
	B4HQ2	

Lab Name: SI	healy Environmental Services, Inc.	Contr	cact: EP-W-05-031	
Lab Code: SI	HEALY Case No.: 37088 Mod. Re	f No.	: SDG No.: B4HI	- 9
Matrix: (SO	IL/SED/WATER)Soil	Lab S	Sample ID: <u> L13011-004</u>	
Sample wt/v	ol: 15.0 (g/mL) g	Lab I	File ID: 023F2301	· ·
% Moisture:	Decanted: (Y/N) N	Date	Received: 12/12/2007	
Extraction:	(Type)_PFEX	Date	Extracted: 12/20/2007	
Concentrate	d Extract Volume: 5000.0 (uL)			
and the second second	olume: 1.0 (uL) GPC Factor: 1.0		•	
GPC Cleanup	: (Y/N) N pH: 7.0	Sulfu	ur Cleanup: (Y/N) N	·
Acid Cleanu	p: (Y/N) Y			
CAS NO.	COMPOUND		CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-2	Aroclor-1016		41	Ū
11104-28-2	Aroclor-1221		41	υ
	Aroclor-1232		41	· · ʊ
	Aroclor-1242		41	Ü
	Aroclor-1248	·	41	U
	Aroclor-1254		930 250	EP J
	Aroclor-1260		41	Ū
	Aroclor-1262		41	U.
[11100-14-4	Aroclor-1268		41	l Ul

*

TRANSFERRED FROM

84402DL

EPA SAMPLE NO.
B4HQ3

Lab Name: St	nealy Environmental Services, Inc.	Con	tract: EP-W-05-031	· ·
Lab Code: <u>S</u> l	HEALY Case No.: 37088	Mod. Ref No	SDG No.: <u>B4HF</u>	9
Matrix: (SO	IL/SED/WATER)Soil	Lab	Sample ID: <u>IL13011-005</u>	
Sample wt/v	ol: 15.0 (g/mL) g	Lab	File ID: <u>026F2601</u>	
% Moisture:	Decanted: (Y/N)	N Dat	e Received: 12/12/2007	
Extraction:	(Type) PFEX	Dat	e Extracted: 12/20/2007	
Concentrate	d Extract Volume: 5000.0	(uL) Dat	e Analyzed: 12/23/2007	
Injection V	olume: 1.0 (uL) GPC Fac	tor: 1.0	_ Dilution Factor: 1.0	
GPC Cleanup	: (Y/N) N pH: 6.7	Sul	fur Cleanup: (Y/N) N	
	p: (Y/N) Y			
CAS NO.	COMPOUND		CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-2	Aroclor-1016		41	U
11104-28-2	Aroclor-1221		41	U
11141-16-5	Aroclor-1232		41	ָ ט
53469-21-9	Aroclor-1242		41	ט
12672-29-6	Aroclor-1248		41	U
	Aroclor-1254		540 620	● ★丁
11096-82-5	Aroclor-1260		41	Ü
37324-23-5	Aroclor-1262		41	Ū.
11100-14-4	Aroclor-1268	r	41	Ü

* TRANSFERRED FROM B4H035

EPA SAMPLE NO.
B4HQ4

Lab Name: SI	nealy Environmental Services, Inc.	Contr	act: EP-W-05-031	
Lab Code: <u>S</u> l	HEALY Case No.: 37088 Mod.	Ref No.	: SDG No.: B4HP	9
Matrix: (SO	IL/SED/WATER)Soil	Lab S	Sample ID: <u> L13011-006</u>	
Sample wt/v	ol:15.0 (g/mL) g	Lab I	File ID: 027F2701	
% Moisture:	Decanted: (Y/N) N	Date	Received: 12/12/2007	·
Extraction:	(Type) PFEX	Date	Extracted: 12/20/2007	
Concentrate	d Extract Volume: 5000.0 (uL)			·
Injection V	olume: 1.0 (uL) GPC Factor: 1.0		Dilution Factor: 1.0	
GPC Cleanup	: (Y/N) N pH: 8.0	Sulfi	ır Cleanup: (Y/N) N	
•	p: (Y/N) Y			
CAS NO.	COMPOUND		CONCENTRATION UNITS: (ug/L or ug/kg):ug/kg	Q
12674-11-2	Aroclor-1016		43	Ū
11104-28-2	Aroclor-1221		43	Ŭ
11141-16-5	Aroclor-1232		43	Ū
53469-21-9	Aroclor-1242		43	Ü
12672-29-6	Aroclor-1248		43	U
11097-69-1	Aroclor-1254		3500 330 0	BOTT
	Aroclor-1260		43	ָ ט
	Aroclor-1262		43	Ü
11100-14-4	Aroclor-1268		43	Ū

* TRANSFERRED FROM BYHOUDL

SOM01.2 [10/2006]

EPA SAMPLE NO. B4HQ5

Lab Name: Shealy Environmental Services, Inc. Cont	ract: EP-W-05-031	· · · · · · · · · · · · · · · · · · ·
Lab Code: SHEALY Case No.: 37088 Mod. Ref No	.: SDG No.: B4HP	9
Matrix: (SOIL/SED/WATER)Soil Lab	Sample ID: <u>IL13011-007</u>	
Sample wt/vol: 15.0 (g/mL) g Lab	File ID: 028F2801	
% Moisture: 16 Decanted: (Y/N) N Date	Received: 12/12/2007	
Extraction: (Type) PFEX Date	Extracted: 12/20/2007	<u> </u>
Concentrated Extract Volume: 5000.0 (uL) Date	e Analyzed: 12/23/2007	
Injection Volume: 1.0 (uL) GPC Factor: 1.0	Dilution Factor: 1.0	
GPC Cleanup: (Y/N) N pH: 7.6 Sul	fur Cleanup: (Y/N) N	
Acid Cleanup: (Y/N) Y		
CAS NO. COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-2 Aroclor-1016	39	Ū .
11104-28-2 Aroclor-1221	39	. Ŭ
11141-16-5 Aroclor-1232	39	ប
53469-21-9 Aroclor-1242	39	Ü
12672-29-6 Aroclor-1248	39	Ü
11097-69-1 Aroclor-1254	5700 5500	ZX
11096-82-5 Aroclor-1260	39	Ū
37324-23-5 Aroclor-1262	39	U
11100-14-4 Aroclor-1268	39	Ü.

女

TRANSFERRED

FROM

BYHOSDU

EPA SAMPLE NO. B4HQ6

Lab Name: Shealy Environmental Services, Inc.	ontract: EP-W-05-031	
Lab Code: SHEALY Case No.: 37088 Mod. Ref	No.: SDG No.: <u>B4HP9</u>	
Matrix: (SOIL/SED/WATER)Soil L	ab Sample ID: <u>IL14046-001</u>	<u> </u>
Sample wt/vol: 15.0 (g/mL) g L	ab File ID: 006F0701	
% Moisture: 12 Decanted: (Y/N) N D	ate Received: <u>12/13/2007</u>	
Extraction: (Type) PFEX D	ate Extracted <u>12/19/2007</u>	<u>. </u>
Concentrated Extract Volume: 5000.0 (uL)	ate Analyzed: 12/23/2007	
Injection Volume: 1.0 (uL) GPC Factor: 1.0	Dilution Factor: 1.0	
GPC Cleanup: (Y/N) N pH: 7.7 S	ulfur Cleanup: (Y/N) Y	
Acid Cleanup: (Y/N) Y		
CAS NO. COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg Q	
12674-11-2 Aroclor-1016	37 U	
11104-28-2 Aroclor-1221	37 ບ	
11141-16-5 Aroclor-1232	37 U	٠,
53469-21-9 Aroclor-1242	37 U	
12672-29-6 Aroclor-1248	37 U	٠
11097-69-1 Aroclor-1254	1800000 BF	
11096-82-5 Aroclor-1260	37 บี 🕽	
37324-23-5 Aroclor-1262	37 U	
11100-14-4 Aroclor-1268	37 U	

* TRANSFERRED FROM BHILLEDL

EPA SAMPLE NO.
B4HQ7

Lab Name: S	healy Environmental Services, Inc.	Contract	: EP-W-05-031	
Lab Code: S	HEALY Case No.: 37088 Mod.	Ref No.:	SDG No.: B4HP	9
Matrix: (SO	IL/SED/WATER)Soil	Lab Sam	ole ID: <u>IL14046-002</u>	· ·
Sample wt/v	ol: 15.0 (g/mL) g	Lab File	e ID: <u>007F0801</u>	
% Moisture:	Decanted: (Y/N) N	Date Re	ceived: <u>12/13/2007</u>	
Extraction:	(Type) PFEX	Date Ex	tracted: <u>12/19/2007</u>	<u> </u>
Concentrate	d Extract Volume: 5000.0 (uL)	Date An	alyzed: 12/23/2007	
	Volume: 1.0 (uL) GPC Factor: 1.0			
	o: (Y/N) N pH: 7.7			
Acid Clean	up: (Y/N) Y			
CAS NO.	COMPOUND		ONCENTRATION UNITS: g/L or ug/kg):ug/kg	Q .
12674-11-2	Aroclor-1016		39	υ
11104-28-2	Aroclor-1221		39	Ŭ
11141-16-5	Aroclor-1232		39	. Ω ·
53469-21-9	Aroclor-1242		39	Ū
12672-29-6	Aroclor-1248		39	U
11097-69-1	Aroclor-1254		7600-7700	EP 🔭
11096-82-5	Aroclor-1260		39	י די
37324-23-5	Aroclor-1262		39	.U
111100-14-4	Aroclor-1268		. 30	TT

* TRANSFERRED

FROM

BAHQADL

EPA SAMPLE NO.

B4HQ8

Lab Name: Shealy Environmental Services, Inc.	Contract: EP-W-05-031
Lab Code: SHEALY Case No.: 37088 Mod. Re	f No.: SDG No.: <u>B4HP9</u>
Matrix: (SOIL/SED/WATER)Soil	Lab Sample ID: <u> L14046-003</u>
Sample wt/vol: 15.0 (g/mL) g	Lab File ID: 008F0901
% Moisture: 15 Decanted: (Y/N) N	Date Received: 12/13/2007
Extraction: (Type) PFEX	Date Extracted:12/19/2007
Concentrated Extract Volume: 5000.0 (uL)	
Injection Volume: 1.0 (uL) GPC Factor: 1.0	
GPC Cleanup: (Y/N) N pH: 7.1	
Acid Cleanup: (Y/N) Y	
CAS NO. COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg Q
12674-11-2 Aroclor-1016	39 · U ·
11104-28-2 Aroclor-1221	39 U
11141-16-5 Aroclor-1232	39 U
53469-21-9 Aroclor-1242	39 U
12672-29-6 Aroclor-1248	39 U
11097-69-1 Aroclor-1254	1100 -1100 EP #
11096-82-5 Aroclor-1260	39 Ü -
37324-23-5 Aroclor-1262	39 U
11100-14-4 Aroclor-1268	39 U

* TRANSFERRED FROM BYHOEDL

EPA SAMPLE NO.

B4HQ9

Lab Name: St	nealy Environmental Services, Inc.	Contract: EP-W-05-031	
Lab Code: Si	HEALY Case No.: 37088 Mod. Re	f No.: SDG No.: B4HP	9
Matrix: (SO	IL/SED/WATER)Soil	Lab Sample ID: <u> L14046-004</u>	
Sample wt/v	ol: <u>15.0</u> (g/mL) <u>g</u>	Lab File ID: 009F1001	
% Moisture:	29 Decanted: (Y/N) N	Date Received: 12/13/2007	·
Extraction:	(Type) PFEX	Date Extracted:12/19/2007	· ·
Concentrate	d Extract Volume: 5000.0 (uL)	Date Analyzed: 12/23/2007	
	olume: 1.0 (uL) GPC Factor: 1.0		
	: (Y/N) N pH: 7.3	· · · · · · · · · · · · · · · · · · ·	
	p: (Y/N) Y		
CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-2	Aroclor-1016	46	Ŭ
11104-28-2	Aroclor-1221	46	Ū
11141-16-5	Aroclor-1232	46	. U ·-
53469-21-9	Aroclor-1242	46	Ü
	Aroclor-1248	46	,U,
	Aroclor-1254	140	PJ
11096-82-5	Aroclor-1260	46	υJ
	Aroclor-1262	. 46	Ü
11100-14-4	Aroclor-1268	46	บ

EPA	SAMPLE	NO.
	B4HR0	

Lab Name: Shealy Environmental Services, Inc.	ontract: EP-W-05-031
Lab Code: SHEALY Case No.: 37088 Mod. Ref	No.:SDG No.: B4HP9
Matrix: (SOIL/SED/WATER)Soil L	ab Sample ID: <u> L14046-005</u>
Sample wt/vol: 15.0 (g/mL) g La	ab File ID: <u>010F1101</u>
% Moisture: 21 Decanted: (Y/N) N Da	ate Received: 12/13/2007
Extraction: (Type) PFEX D	ate Extracted: 12/19/2007
Concentrated Extract Volume: 5000.0 (uL) D	ate Analyzed: 12/23/2007
•	Dilution Factor: 1.0
GPC Cleanup: (Y/N) N pH: 6.4 S	ulfur Cleanup: (Y/N) Y
Acid Cleanup: (Y/N) Y	
CAS NO. COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg Q
12674-11-2 Aroclor-1016	42 U
11104-28-2 Aroclor-1221	42 U
11141-16-5 Aroclor-1232	42 U
53469-21-9 Aroclor-1242	42 U
12672-29-6 Aroclor-1248	42 U
11097-69-1 Aroclor-1254	17001600 EP *
11096-82-5 Aroclor-1260	42 U
37324-23-5 Aroclor-1262	42 U
11100-14-4 Aroclor-1268	42 U

* TRANSFERRED FROM BUHRODL

EPA	SAMPLE	NO.
	B4HR1	

Lab Name: S	healy Environmental Services, Inc.	Contra	act: EP-W-05-031	
Lab Code: S	HEALY Case No.: 37088	Mod. Ref No.:	SDG No.: B4HP	9
Matrix: (SO	IL/SED/WATER)Soil	Lab Sa	ample ID: <u>IL14046-006</u>	
Sample wt/v	ol: 15.0 (g/mL) g	Lab F	ile ID: <u>011F1201</u>	
% Moisture:	Decanted: (Y/N) N	Date F	Received: <u>12/13/2007</u>	
Extraction:	(Type) PFEX	Date !	Extracted: 12/19/2007	<u> </u>
Concentrate	d Extract Volume: 5000.0 (1	ıL) Date	Analyzed: 12/23/2007	
Injection V	olume: 1.0 (uL) GPC Facto	r:1.0	Dilution Factor: 1.0	
GPC Cleanup	o: (Y/N) N pH: 8.0	Sulfu	r Cleanup: (Y/N) Y	
	up: (Y/N) Y			
CAS NO.	COMPOUND		CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q ,
12674-11-2	Aroclor-1016		43	Ū
11104-28-2	Aroclor-1221		43.	U .
	Aroclor-1232		43	Ü
	Aroclor-1242		43	ີ ປ
	Aroclor-1248		43	U
	Aroclor-1254		1600 1500	EP 🟋 🗕
	Aroclor-1260		43	U.J.
	Aroclor-1262		43	Ü
11100-14-4	Aroclor-1268	•	43	Ū

TRANSFERRED FROM BAHRIDI

EPA SAMPLE NO. B4HR2

Lab Name: <u>S</u>	nealy Environmental Services, Inc.	-	Contra	ct: <u>EP-W-05-031</u>	<u> </u>
Lab Code: S	HEALY Case No.: 37088	_ Mod. Re	f No.:	SDG No.: B4HP	9
Matrix: (SO	IL/SED/WATER)Soil	-	Lab Sa	mple ID: <u>IL14046-007</u>	
Sample wt/v	ol: 15.0 (g/mL) g	·	Lab Fi	le ID: <u>012F1301</u>	
Moisture:	Decanted: (Y/N)	N	Date F	Received: <u>12/13/2007</u>	
Extraction:	(Type) PFEX	_	Date. B	Extracted <u>12/19/2007</u>	-
Concentrate	d Extract Volume: 5000.0	_ (uL)	Date 1	Analyzed: <u>12/23/2007</u>	·
Injection V	olume: 1.0 (uL) GPC Fac	ctor: 1.0		Dilution Factor: 1.0	
GPC Cleanup	: (Y/N) N pH: 7.2		Sulfu	Cleanup: (Y/N) Y	
	p: (Y/N) Y				,
CAS NO.	COMPOUND		(CONCENTRATION UNITS: ug/L or ug/Kg):ug/kg	Q.
12674-11-2	Aroclor-1016				
11104-28-2				40	··· U ···
	Aroclor-1221			40	Ü
11141-16-5	Aroclor-1221 Aroclor-1232	٠.			
				40	U
53469-21-9	Aroclor-1232			40 40	n n
53469-21-9 12672 - 29-6	Aroclor-1232 Aroclor-1242			40 40 40	n n
53469-21-9 12672-29-6 11097-69-1	Aroclor-1232 Aroclor-1242 Aroclor-1248			40 40 40 40	U U U
53469-21-9 12672-29-6 11097-69-1 11096-82-5	Aroclor-1232 Aroclor-1242 Aroclor-1248 Aroclor-1254			40 40 40 40 40 26002900	U U U U

A TRANSFERRED FROM BUHRZDL

EPA	SAMPLE NO.
	B4HR3
	DT: II (U

Lab Name: St	nealy Environmental Services, Inc.	Contract: EP-W-05-031
Lab Code: <u>S</u> l	HEALY Case No.: 37088 Mod. F	Ref No.: SDG No.: B4HP9
Matrix: (SO	IL/SED/WATER) <u>Soil</u>	Lab Sample ID: <u> L14046-008</u>
Sample wt/v	ol: 15.0 (g/mL) g	Lab File ID: 013F1401
% Moisture:	14 Decanted: (Y/N) N	Date Received: <u>12/13/2007</u>
Extraction:	(Type) PFEX	Date Extracted:12/19/2007
Concentrate	d Extract Volume: 5000.0 (uL)	Date Analyzed: 12/23/2007
	olume: 1.0 (uL) GPC Factor: 1.0	
GPC Cleanup	: (Y/N) N pH: 6.3	Sulfur Cleanup: (Y/N) Y
	p: (Y/N) Y	
CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg Q
12674-11-2	Aroclor-1016	38 U
11104-28-2	Aroclor-1221	38. U
11141-16-5	Aroclor-1232	38 1 111 0
53469-21-9	Aroclor-1242	38 U
	Aroclor-1248	38 U
	Aroclor-1254	3100 4100 8
	Aroclor-1260	38 U
	Aroclor-1262	38 U
111100-14-4	Aroclor-1268	38 U

* TRANSTERRED

FROM BHHR3DL

EPA SAMPLE NO. B4HR4

Lab Name: S	Shealy Environmental Services, Inc.	Contract: EP-W-05-031	
Lab Code: S	Case No.: 37088 Mod. I	Ref No.: SDG No.: B4HP9	
Matrix: (SC	DIL/SED/WATER) Soil	Lab Sample ID: L14046-009	. •
Sample wt/v	vol: 15.0 (g/mL) g	Lab File ID: 014F1501	
% Moisture:	2 15 Decanted: (Y/N) N	Date Received: 12/13/2007	
Extraction:	(Type) PFEX	Date Extracted:12/19/2007	
	ed Extract Volume: 5000.0 (uL)		
GPC Cleanur	Volume: 1.0 (uL) GPC Factor: 1.0 p: (Y/N) N pH: 6.8 up: (Y/N) Y		
CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg Q	
	Aroclor-1016	39 U	
	Aroclor-1221	39 · U	
	Aroclor-1232	39 U	
	Aroclor-1242	39 U	
	Aroclor-1248	39 U	
	Aroclor-1254	47005100 P	*
	Aroclor-1260		- TOTAL
	Aroclor-1262	J 39 U	
11100-14-4	Aroclor-1268	39 U	

* TRANSFERRED FROM BYHR4DL

EPA SAMPLE NO.
B4HR5

Lab Name: Sheaty Environmental Services, Inc. Con	tract: EP-W-05-031	
Lab Code: SHEALY Case No.: 37088 Mod. Ref No.	.: SDG No.: <u>B4HP</u>	9
Matrix: (SOIL/SED/WATER)Soil Lab	Sample ID: <u> L14046-010</u>	
Sample wt/vol: 15.0 (g/mL) g Lab	File ID: 015F1601	<u> </u>
% Moisture: 18 Decanted: (Y/N) N Dat	e Received: 12/13/2007	
Extraction: (Type) PFEX Dat	e Extracted <u>12/19/2007</u>	
Concentrated Extract Volume: 5000.0 (uL) Dat	e Analyzed: 12/23/2007	
Injection Volume: 1.0 (uL) GPC Factor: 1.0	Dilution Factor: 1.0	
GPC Cleanup: (Y/N) N pH: 6.3 Sul	fur Cleanup: (Y/N) Y	
Acid Cleanup: (Y/N) Y		
CAS NO. COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-2 Aroclor-1016	40	บ
11104-28-2 Aroclor-1221	40	U
11141-16-5 Aroclor-1232	40	Ū
53469-21-9 Aroclor-1242	40	U
12672-29-6 Aroclor-1248	40	Ü
11097-69-1 Aroclor-1254	6800_2200	EP A
11096-82-5 Aroclor-1260	40	ַ עַּיַ ַ
37324-23-5 Aroclor-1262	40	U
11100-14-4 Aroclor-1268	40	U

* TRANSFERRED FROM BYHREDL

EPA SAMPLE NO.
B4HR6

Lab Name: S	healy Environmental Services, Inc.	Contr	act: EP-W-05-031	
Lab Code: <u>S</u>	HEALY Case No.: 37088 Mod	. Ref No.:	SDG No.: B4HP	9
Matrix: (SO	IL/SED/WATER) Soil	Lab S	ample ID: <u> L14046-011</u>	
Sample wt/v	ol: 15.0 (g/mL) g	Lab F	ile ID: <u>016F1701</u>	<u> </u>
% Moisture:	19 Decanted: (Y/N) N	Date	Received: 12/13/2007	
Extraction:	(Type) PFEX	Date	Extracted: 12/19/2007	<u> </u>
Concentrate	d Extract Volume: 5000.0 (uL)	Date	Analyzed: 12/23/2007	
	olume: 1.0 (uL) GPC Factor:			
GPC Cleanup	e: (Y/N) N pH: 7.3	Sulfu	r Cleanup: (Y/N) Y	
	p: (Y/N) Y			
CAS NO.	COMPOUND		CONCENTRATION UNITS: (ug/L or ug/Kg) :ug/kg	Q
12674-11-2	Aroclor-1016		41	Ū
11104-28-2	Aroclor-1221		41	Ū
11141-16-5	Aroclor-1232		41	Ü
	Aroclor-1242		. 41	Ū
	Aroclor-1248		41	Ŭ.,
	Aroclor-1254		1300 2000	₽ ₩
	Aroclor-1260		41	UJ
	Aroclor-1262		41	Ū
111100-14-4	Aroclor-1268	1	41	U

A TRANSFERRED FROM BUHREDL

EPA SAMPLE NO.

B4HR6DL

Lab Name: Shealy Environmental Services, Inc.	Contr	cact: EP-W-0	05-031	
Lab Code: SHEALY Case No.: 37088 Mod. Re	f No.	:	SDG No.: B4HP	9
Matrix: (SOIL/SED/WATER)Soil	Lab S	Sample ID:	IL14046-011	Japanes de la
Sample wt/vol:	Lab I	File ID: 01	6F1701	′ . ,
% Moisture: 19 Decanted: (Y/N) N	Date	Received:	12/13/2007	
Extraction: (Type) PFEX	Date	Extracted	12/19/2007	
Concentrated Extract Volume: 5000.0 (uL)	Date	Analyzed:	12/27/2007	
Injection Volume: 1.0 (uL) GPC Factor: 1.0		-	Factor: 20.0	
GPC Cleanup: (Y/N) N pH: 7.3		AFF.	: (Y/N) Y	· · · ·
Acid Cleanup: (Y/N) Y	Dull		. (1)	
Actu Cleanup: (1/N)	,			
CAS NO. COMPOUND		CONCENTRA (ug/L or t	ATION UNITS:	Q
12674-11-2 Aroclor-1016		,	820	U
11104-28-2 Aroclor-1221			820	. U
11141-16-5 Aroclor-1232			820	Ü
53469-21-9 Aroclor-1242			820	Ü
12672-29-6 Aroclor-1248	<u> </u>		. 820	<u>U,</u>
11097-69-1 Aroclor-1254 11096-82-5 Aroclor-1260			7300	
37324-23-5 Aroclor-1262		· · · · · · · · · · · · · · · · · · ·	820	Ü
11100-14-4 Aroclor-1268			820 820	U TT
2220 27 141100201 1200	/	<u> </u>	820 [Ü
				•
	1	· ·		
				** ** ** * * * * *
			•	
		/		
				e i televisi
		:		
			· \	
			· · · · · · · · · · · · · · · · · · ·	, , ;
			1	
			A	
			and the second	
			. : · .	

EPA SAMPLE NO.
B4HR7

Lab Name: S	healy Environmental Services, Inc.	Cor	tract: EP-W-	05-031	
Lab Code: S	HEALY Case No.: 37088	_ Mod. Ref N	o.:	SDG No.: B4HF	9
Matrix: (SC	OIL/SED/WATER) Soil	Lak	Sample ID:	IL14046-012	
Sample wt/v	rol:15.0 (g/mL) g	Lal	File ID: <u>01</u>	7F1801	· · · · · · · · · · · · · · · · · · ·
% Moisture:	Decanted: (Y/N)	N Dat	e Received:	12/13/2007	·
Extraction:	(Type) PFEX	Dai	te Extracted	12/19/2007	
Concentrate	d Extract Volume: 5000.0	_(uL) Da	te Analyzed:	12/23/2007	
Injection V	olume: 1.0 (uL) GPC Fac	tor:1.0	Dilution	Factor: 1.0	
	p: (Y/N) N pH: 6.7				
	up: (Y/N) Y				
	COMPOUND		CONCENTR	ATION UNITS:	Q
12674-11-2	Aroclor-1016			43	Ü
	Aroclor-1221			43	Ü
	Aroclor-1232			43	Ü
	Aroclor-1242			43	Ü
	Aroclor-1248			43	Ü
	Aroclor-1254			43 25	o ja po U
	Aroclor-1260			A3	ΰ 5 :
	Aroclor-1262			43	Ü
[111100-14-4]	Aroclor-1269				

EPA SAMPLE NO. B4HR8

Lab Name: Shealy Environmental Services, Inc. Cor	tract: EP-W-05-031	
Lab Code: SHEALY Case No.: 37088 Mod. Ref N	o.: SDG No.: <u>B4H</u> P9	
Matrix: (SOIL/SED/WATER)Soil Lak	Sample ID: <u> L14046-013</u>	<u> </u>
Sample wt/vol: 15.0 (g/mL) g Lak	File ID: <u>020F2101</u>	
% Moisture: 12 Decanted: (Y/N) N Date	e Received: <u>12/13/2007</u>	_
Extraction: (Type) PFEX Da	te Extracted:12/19/2007	
Concentrated Extract Volume: 5000.0 (uL) Da	te Analyzed: <u>12/23/2007</u>	
Injection Volume: 1.0 (uL) GPC Factor: 1.0	Dilution Factor: 1.0	
GPC Cleanup: (Y/N) N pH: 6.8 Su	lfur Cleanup: (Y/N) Y	
Acid Cleanup: (Y/N) Y		
CAS NO. COMPOUND	· ·	
	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	
12674-11-2 Aroclor-1016		
12674-11-2 Aroclor-1016 11104-28-2 Aroclor-1221	(ug/L or ug/Kg):ug/kg Q	_
11104-28-2 Aroclor-1221 11141-16-5 Aroclor-1232	(ug/L or ug/Kg):ug/kg Q 37 U	
11104-28-2 Aroclor-1221 11141-16-5 Aroclor-1232 53469-21-9 Aroclor-1242	(ug/L or ug/Kg) <u>ug/kg</u> Q 37 U 37 U	
11104-28-2 Aroclor-1221 11141-16-5 Aroclor-1232 53469-21-9 Aroclor-1242 12672-29-6 Aroclor-1248	(ug/L or ug/Kg):ug/kg Q 37 U	
11104-28-2 Aroclor-1221 11141-16-5 Aroclor-1232 53469-21-9 Aroclor-1242 12672-29-6 Aroclor-1248 11097-69-1 Aroclor-1254	(ug/L or ug/Kg):ug/kg Q 37 U 37 U 37 U 37 U 37 U	
11104-28-2 Aroclor-1221 11141-16-5 Aroclor-1232 53469-21-9 Aroclor-1242 12672-29-6 Aroclor-1248 11097-69-1 Aroclor-1254 11096-82-5 Aroclor-1260	(ug/L or ug/Kg):ug/kg Q 37 U	
11104-28-2 Aroclor-1221 11141-16-5 Aroclor-1232 53469-21-9 Aroclor-1242 12672-29-6 Aroclor-1248 11097-69-1 Aroclor-1254	(ug/L or ug/Kg):ug/kg Q 37 U 38 U 38 U 39 U 39 U 39 U 39 U 39 U 30 U 30 U 31 U 32 U 33 U	

37

EPA SAMPLE NO.

B4HO2MS(1)

Lab Name: <u>S</u>	nealy Environmental Services, Inc.	Contract:	EP-W-05-031	
Lab Code: Si	HEALY Case No.: 37088 Mod	. Ref No.:	SDG No.: B4HP	9
Matrix: (SO	IL/SED/WATER) Soil	Lab Sample	e ID: <u>IL13011-004MS</u>	
Sample wt/v	ol: <u>15.0</u> (g/mL) <u>g</u>	Lab File	ID: 024F2401	
% Moisture:	Decanted: (Y/N) N	Date Rece	ived: <u>12/12/2007</u>	
Extraction:	(Type) PFEX	Date Extr	acted:12/20/2007	
Concentrate	d Extract Volume: 5000.0 (uL)	Date Anal	vzed: 12/23/2007	
	olume: 1.0 (uL) GPC Factor:1			
	: (Y/N) N pH: 7.0		4.5	
	p: (Y/N) Y		· · · · · · · · · · · · · · · · · · ·	
cas no.	COMPOUND	CON (ug/	CENTRATION UNITS: L or ug/Kg):ug/kg	; Q
12674-11-2	Aroclor-1016		170	23
11104-28-2	Aroclor-1221		41	Ü
11141-16-5	Aroclor-1232		41	Ū
53469-21-9	Aroclor-1242		41	Ŭ
	Aroclor-1248		. 41 .	. Ü.
	Aroclor-1254		850	F# 1
	Aroclor-1260		510	
	Aroclor-1262		41	Ū
111100-14-4	Aroclor-1268	j	∆ 1 l	11

EPA SAMPLE NO.
B4HR7MS(1)

Lab Name: Shealy Environmental Services, Inc. Cor	ntract: EP-W-05-031
Lab Code: SHEALY Case No.: 37088 Mod. Ref N	lo.: SDG No.: <u>B4HP9</u>
Matrix: (SOIL/SED/WATER)Soil Lal	b Sample ID: <u>L14046-012MS</u>
Sample wt/vol: 15.0 (g/mL) g Lai	b File ID: 018F1901
% Moisture: 23 Decanted: (Y/N) N Date	te Received: <u>12/13/2007</u>
Extraction: (Type) PFEX Da	te Extracted <u>12/19/2007</u>
Concentrated Extract Volume: 5000.0 (uL) Da	te Analyzed: 12/23/2007
Injection Volume: 1.0 (uL) GPC Factor: 1.0	
GPC Cleanup: (Y/N) N pH: 2.0 Su	lfur Cleanup: (Y/N) Y
Acid Cleanup: (Y/N) Y	
CAS NO. COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg Q
12674-11-2 Aroclor-1016	120160

EPA	SAMPLE NO.	
	4HQ2MSD(1)	

Lab Name: Shealy Environmental Services, Inc.	Contract: <u>EP-W-05-031</u>	
Lab Code: SHEALY Case No.: 37088 Mod. Re	ef No.: SDG No	.: <u>B4HP9</u>
Matrix: (SOIL/SED/WATER)Soil	Lab Sample ID: L13011-	004MD
Sample wt/vol: 15.0 (g/mL) g	Lab File ID: <u>025F2501</u>	
% Moisture: 19 Decanted: (Y/N) N	Date Received: <u>12/12/20</u>	07
Extraction: (Type) PFEX	Date Extracted: 12/20/20	007
Concentrated Extract Volume: 5000.0 (uL)	Date Analyzed: 12/23/20	007
Injection Volume: 1.0 (uL) GPC Factor: 1.0	Dilution Factor	
GPC Cleanup: (Y/N) N pH: 7.0	Sulfur Cleanup: (Y/N) <u>N</u>
Acid Cleanup: (Y/N) Y		
	· · · · · · · · · · · · · · · · · · ·	

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-	2 Aroclor-1016	140	P 7
11104-28-	2 Aroclor-1221	41	ָּטַ.
11141-16-	5 Aroclor-1232	41	. ט
53469-21-	9 Aroclor-1242	41	Ü
12672-29-	6 Aroclor-1248	41	ָ ָ ָ ע
11097-69-	1 Aroclor-1254	680	BY)
11096-82-	5 Aroclor-1260	410	シブ
37324-23-	5 Aroclor-1262	41	υ.
11100-14-	4 Aroclor-1268	41	υ

EPA	SAMPLE	NO.	-
В	4HR7MSE	(1)	

Lab Name: Shealy Environmental Services, Inc.	Contract: EP-W-05-031
Lab Code: SHEALY Case No.: 37088 Mo	od. Ref No.: SDG No.: B4HP9
Matrix: (SOIL/SED/WATER)Soil	Lab Sample ID: L14046-012MD
Sample wt/vol: 15.0 (g/mL) g	Lab File ID: <u>019F2001</u>
% Moisture: 23 Decanted: (Y/N) N	Date Received: <u>12/13/2007</u>
Extraction: (Type) PFEX	Date Extracted: 12/19/2007
Concentrated Extract Volume: 5000.0 (ul	L) Date Analyzed: 12/23/2007
Injection Volume: 1.0 (uL) GPC Factor	
GPC Cleanup: (Y/N) N pH: 2.0	Sulfur Cleanup: (Y/N) Y
Acid Cleanup: (Y/N) Y	

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) :ug/kg	Q
12674-11-	2 Aroclor-1016	SO 170	1
11104-28-	2 Aroclor-1221	43	U
11141-16-	5 Aroclor-1232	43	υ
53469-21-	9 Aroclor-1242	43	Ŭ
12672-29-	6 Aroclor-1248	43	ט
11097-69-	1 Aroclor-1254	320	7
11096-82-	5 Aroclor-1260	200	J
37324-23-	5 Aroclor-1262	43	ט
11100-14-	4 Aroclor-1268	43	Ü

EPA SAMPLE NO.
ALCS50(1)

Lab Name: St	healy Environmental Services, Inc.	Contract: EP-V	V-05-031	
Lab Code: St	HEALY Case No.: 37088 Mod. R	Ref No.:	SDG No.: B4HP	9
	IL/SED/WATER) Soil	Lab Sample II	D: IQ70050-002	
Sample wt/v	rol: 15.0 (g/mL) g	Lab File ID:	019F1901	2
% Moisture:	0.00 Decanted: (Y/N) N	Date Received		
Extraction:	(Type) PFEX	Date Extracte	ed :12/20/2007	
Concentrate	d Extract Volume: 5000.0 (uL)	•	14	
Injection V	Volume: 1.0 (uL) GPC Factor: 1.0	· · · · · · · · · · · · · · · · · · ·	n Factor: 1.0	
GPC Cleanup	o: (Y/N) N pH: 0.0	Sulfur Clean	up: (Y/N) N	
	up: (Y/N) Y			
CAS NO.	COMPOUND		ration units:	⁻ Q
12674-11-2	Aroclor-1016		31	J
11104-28-2	Aroclor-1221		33.	: ប
	Aroclor-1232		33	Ü
	Aroclor-1242	•	. 33	Ü
	Aroclor-1248		33	Ū
	Aroclor-1254		33	Ū
	Aroclor-1260		34	
	Aroclor-1262	· ·	33	. U
11100-14-4	Aroclor-1268	1	33.	υ.

EPA SAMPLE NO.
ALCS50(2)

Lab Name: S	healy Environmental Services, Inc.	Contract: EP-W-05-031	
Lab Code: S	HEALY Case No.: 37088 Mod.	Ref No.: SDG No.: B4HP9	
Matrix: (SC	DIL/SED/WATER) Soil	Lab Sample ID: 1Q70050-002	
Sample wt/v	vol: 15.0 (g/mL) g	Lab File ID: <u>019F1901</u>	.:
% Moisture:	0.00 Decanted: (Y/N) N	Date Received:	
Extraction:	(Type) PFEX	Date Extracted:12/20/2007	
	ed Extract Volume: 5000.0 (uL)	Date Analyzed: 12/23/2007	
	Volume: 1.0 (uL) GPC Factor: 1.0		
•	o: (Y/N) N pH: 0.0		
Acid Clean	up: (Y/N) Y	•	
CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	, Q
12674-11-2	Aroclor-1016	31	J · ·
11104-28-2	Aroclor-1221	33	U
11141-16-5	Aroclor-1232	33	- υ
53469-21-9	Aroclor-1242	33	Ū
12672-29-6	Aroclor-1248	33	Ü
11097-69-1	Aroclor-1254	33	U
11096-82-5	Aroclor-1260	37	144
37324-23-5	Aroclor-1262	33	ַ ט
111100-14-4	Aroclor-1268	33	TT .

EPA SAMPLE NO.
ALCS51(2)

Lab Name: S	healy Environmental Services, Inc.	Contr	act: EP-W-05-031	·
Lab Code: <u>S</u>	HEALY Case No.: 37088		· · · · · · · · · · · · · · · · · · ·	}
Matrix: (SC	IL/SED/WATER)Soil	. Lab S	mple ID: <u>IQ70051-002</u>	
Sample wt/v	ol: 15.0 (g/mL) g	Lab E	ile ID: <u>005F0601</u>	
% Moisture:	0.00 Decanted: (Y/N)	N Date	Received:	
Extraction:	(Type) PFEX	Date	Extracted: 12/19/2007	
Concentrate	ed Extract Volume: 5000.0	_ (uL) Date	Analyzed: 12/23/2007	
Injection V	/olume: 1.0 (uL) GPC Fac	tor: 1.0	Dilution Factor: 1.0	
	o: (Y/N) N pH: 0.0		ır Cleanup: (Y/N) Y	
	up: (Y/N) Y	- -		· .
CAS NO.	COMPOUND		CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-2	Aroclor-1016		26	J
11104-28-2	Aroclor-1221		33	U
11141-16-5	Aroclor-1232		33	. 0
53469-21-9	Aroclor-1242		33	Ŭ
12672-29-6	Aroclor-1248		33	Ū
11097-69-1	Aroclor-1254	· · · · · · · · · · · · · · · · · · ·	33	Ū
11096-82-5	Aroclor-1260		54	P
37324-23-5	Aroclor-1262		33	Ü
111100-14-7	\racler=1269		33	· U

EPA SAMPLE NO.
B4HK9

Lab Name: Si	nealy Environmental Services, Inc.	Contract: EP-W-05-031	
Lab Code: SI	HEALY Case No.: 37088 Mod. Re	f No.: SDG No.: B4HK	9
	IL/SED/WATER) <u>Soil</u>	Lab Sample ID: <u>IL13009-001</u>	
Sample wt/v	ol:15.0 (g/mL) g	Lab File ID: 028F2901	
,		Date Received: 12/12/2007	
		Date Extracted:12/17/2007	
	d Extract Volume: 5000.0 (uL)		
	olume: 1.0 (uL) GPC Factor: 1.0		
	: (Y/N) N pH: 7.1		
Acid Cleanu	p: (Y/N) Y		
CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-2	Aroclor-1016	100	Ü
11104-28-2	Aroclor-1221	100	Ü
11141-16-5	Aroclor-1232	100	υ.
53469-21-9	Aroclor-1242	100	٠ ت
	Aroclor-1248	100	Ū
11097-69-1	Aroclor-1254	48000 56000	£ 5
11096-82-5	Aroclor-1260	100	Ū
	Aroclor-1262	100	Ū
111100-14-4	Aroclor-1268	100	11

A TRANSFERRED FROM BYHK9DL

EPA SAMPLE NO.

B4HL0

Lab Name: S	healy Environmental Services, Inc.	Contract: <u>EP-W-05-031</u>	
Lab Code: <u>S</u>	HEALY Case No.: 37088 Mod. Re	ef No.: SDG No.: B4HK	9
Matrix: (SO	IL/SED/WATER) Soil	Lab Sample ID: <u>IL13009-002</u>	
Sample wt/v	ol: 15.0 (g/mL) g	Lab File ID: 029F3001	
% Moisture:	Decanted: (Y/N) N	Date Received: 12/12/2007	·
Extraction:	(Type) PFEX	Date Extracted:12/17/2007	·
Concentrate	d Extract Volume: 5000.0 (uL)	Date Analyzed: 12/20/2007	
	olume: 1.0 (uL) GPC Factor: 1.0		
GPC Cleanup	: (Y/N) N pH: 7.1	Sulfur Cleanup: (Y/N) Y	
Acid Cleanu	pp: (Y/N) Y		
CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-2	Aroclor-1016	100	Ū
11104-28-2	Aroclor-1221	100	Ū
	Aroclor-1232	100	. U
	Aroclor-1242	100	Ü
	Aroclor-1248	100	U
	Aroclor-1254	5500()61000	E_PS
	Aroclor-1260	100	Ū
	Aroclor-1262	100	U
11100-14-4	Aroclor-1268	100	17

* TRANSFERRED FROM BYHLODU

EPA SAMPLE NO.

B4HL1

Lab Name: S	healy Environmental Services, Inc.	Conti	act: EP-W-05-031	
Lab Code: S	HEALY Case No.: 37088	_ Mod. Ref No.	: SDG No.: B4HK	9
Matrix: (SO	IL/SED/WATER) Soil	_ Lab S	Sample ID: <u>HL13009-003</u>	····
Sample wt/v	ol:15.0 (g/mL) g	_ Lab 1	File ID: 030F3101	
% Moisture:	Decanted: (Y/N)	N Date	Received: 12/12/2007	
Extraction:	(Type) PFEX	Date	Extracted: 12/17/2007	
Concentrate	d Extract Volume: 5000.0	_(uL) Date	Analyzed: 12/20/2007	· .
	olume: 1.0 (uL) GPC Fa			
	e: (Y/N) N pH: 6.9			
	p: (Y/N) Y			
CAS NO.	COMPOUND		CONCENTRATION UNITS: (ug/L or ug/kg):uq/kq	Q ·
12674-11-2	Aroclor-1016		140	Ŭ
11104-28-2	Aroclor-1221		140	Ū
11141-16-5	Aroclor-1232		140	ט
53469-21-9	Aroclor-1242		140	ַ ט
12672-29-6	Aroclor-1248	· · · · · · · · · · · · · · · · · · ·	140	Ū ·
	Aroclor-1254		15000 1 600 0	E-S-A
	Aroclor-1260		140	U
	Aroclor-1262		. 140	. U
11100-14-4	Aroclor-1268		140	U

* TRANSFERRED FROM BYHLIDL

EPA SAMPLE NO.

B4HL2

Lab Name: S	healy Environmental Services, Inc. Con	ntract: EP-W-05-031	···
Lab Code: S	HEALY Case No.: 37088 Mod. Ref N	o.: SDG No.: B4HK	(9
Matrix: (SO	IL/SED/WATER) Soil Lab	Sample ID: <u> L13009-004</u>	
Sample wt/v	ol: 15.0 (g/mL) g Lak	File ID: 031F3201	
% Moisture:	Decanted: (Y/N) N Dat	ce Received: 12/12/2007	
Extraction:	(Type) PFEX Dat	te Extracted: 12/17/2007	
Concentrate	d Extract Volume: 5000.0 (uL) Date	•	
	olume: 1.0 (uL) GPC Factor: 1.0		
GPC Cleanup	: (Y/N) N pH: 7.1 Sul	lfur Cleanup: (Y/N) Y	
	p: (Y/N) Y		
CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-2	Aroclor-1016	76	U
11104-28-2	Aroclor-1221	76	Ŭ
	Aroclor-1232	76.	Ü
	Aroclor-1242	76	U
	Aroclor-1248	76	Ū
	Aroclor-1254	1500 1500	E-8 🖈
	Aroclor-1260	76	U
	Aroclor-1262	76	Ū
[11100-14-4]	Aroclor-1268	76	177

* TRANSFERRED FROM B4HLZDL

DO NOT USG EPA SAMPLE NO. B4HL2DL

Lab Name: Shealy Environmental Services, Inc.	Contract: EP-W-05-031
Lab Code: SHEALY Case No.: 37088 Mod. Re	f No.: SDG No.: B4HK9
Matrix: (SOIL/SED/WATER) Soil	Lab Sample ID: <u>IL13009-004</u>
Sample wt/vol: 15.0 (g/mL) g	Lab File ID: 021F2101
% Moisture: 13 Decanted: (Y/N) N	Date Received: 12/12/2007
Extraction: (Type) PFEX	Date Extracted:12/17/2007
Concentrated Extract Volume: 5000.0 (uL)	Date Analyzed: 12/21/2007
Injection Volume: 1.0 (uL) GPC Factor: 1.0	,
GPC Cleanup: (Y/N) N pH: 7.1	Sulfur Cleanup: /(Y/N) Y
Acid Cleanup: (Y/N) Y	

			y ⁴	
CAS NO.	COMPOUND	7.	CONCENTRATION UNITS: (ug/kg or ug/kg):ug/kg	Q
12674-11-2	2 Aroclor-1016	-	150	Ū
11104-28-2	2 Aroclor-1221		150	Ü
11141-16-5	Aroclor-1232		150	Ü
53469-21-	Aroclor-1242	p. p	150	Ū
12672-29-0	6 Aroclor-1248	S. S	150	U
11097-69-	Aroclor-1254	A	1500	B
11096-82-	Aroclor-1260	p ^d	150	Ū
37324-23-5	Aroclor-1262	A Part Contract Contr	150	Ŭ
11100-14-4	Aroclor-1268		150	Ū

EPA SAMPLE NO.
B4HL3

Lab Name: S	healy Environmental Services, Inc.	Conti	ract: <u>EP-W-05-031</u>	· · · · · · · · · · · · · · · · · · ·		
Lab Code: S	CHEALY Case No.: 37088	Mod. Ref No.	:SDG N	ю.: <u>В4НК</u> 9		
Matrix: (SC	DIL/SED/WATER)Soil	Lab	Sample ID: <u>L1300</u>	9-005		
Sample wt/v	rol: 15.6 (g/mL) g	Lab !	File ID: <u>032F3301</u>			
% Moisture:	Decanted: (Y/N)	N Date	Received: 12/12/2	2007		
Extraction	(Type) PFEX	Date	Extracted 12/17/	2007		-
	ed Extract Volume: 5000.0		Analyzed: 12/21/	2007		_
Injection '	Volume: 1.0 (uL) GPC Fact	or:1.0	Dilution Facto	r: 2.0	_	_
GPC Cleanu	p: (Y/N) N pH: 6.9	Sulf	ur Cleanup: (Y/	N) Y		
	up: (Y/N) Y					
CAS NO.	COMPOUND		CONCENTRATION (ug/L or ug/Kg	UNITS:	Q	
12674-11-2	Aroclor-1016			79_	ซ	
11104-28-2	Aroclor-1221			79	Ū	
11141-16-5	Aroclor-1232			79	Ū	
53469-21-9	Aroclor-1242			79	Ü	İ
12672-29-6	Aroclor-1248			79	Ū	ĺ
11097-69-1	Aroclor-1254		1100	1100	PS-X	7
11096-82-5	Aroclor-1260			79	Ü	
37324-23-5	Aroclor-1262			79	Ú	
11100-14-4	Aroclor-1268			79	Ū	ł

A TRANSFERRED FROM BHHL3DL

EPA SAMPLE NO. B4HL4

U

U

41

Lab Name: S	healy Environmental Services, Inc.	Conti	eact: EP-W-05-031	
Lab Code: <u>S</u>	HEALY Case No.: 37088 Mod. Re	ef No.	: SDG No.: B4HK	9
Matrix: (SO	IL/SED/WATER) Soil	Lab s	Sample ID: <u> L13009-006</u>	
Sample wt/v	ol: 15.0 (g/mL) g	Lab 1	File ID: <u>023F2301</u>	
% Moisture:	19 Decanted: (Y/N) N	Date	Received: 12/12/2007	
Extraction:	(Type) PFEX	Date	Extracted: 12/17/2007	
Concentrate	d Extract Volume: 5000.0 (uL)	Date	Analyzed: 12/21/2007	
	olume: 1.0 (uL) GPC Factor: 1.0			
GPC Cleanup	: (Y/N) N pH: 6.5	Sulf	ur Cleanup: (Y/N) Y	
	up: (Y/N) Y			
CAS NO.	COMPOUND		CONCENTRATION UNITS: (ug/L or ug/kg):ug/kg	Q
12674-11-2	Aroclor-1016		41	Ū
11104-28-2	Aroclor-1221		41	Ŭ
11141-16-5	Aroclor-1232		41	U
	Aroclor-1242		41	U
	Aroclor-1248		41	Ū
	Aroclor-1254		220	لة ح
111096-82-5	Aroclor-1260		ا د ۱	T1

37324-23-5 Aroclor-1262

11100-14-4 Aroclor-1268

EPA SAMPLE NO.

B4HL5

Lab Name: S	nealy Environmental Services, Inc.	_	Contr	ract: EP-W-05-031	
Lab Code: S	HEALY Case No.: 37088	_ Mod.	Ref No.	: SDG No.: <u>B4HK</u>	9
Matrix: (SO	IL/SED/WATER)Soil	· -	Lab S	Sample ID: <u> L13009-007</u>	
Sample wt/v	ol:15.0 (g/mL) g	_	Lab I	File ID: 034F3501	
% Moisture:	Decanted: (Y/N)	N	Date	Received: 12/12/2007	<u>. · </u>
Extraction:	(Type) PFEX		Date	Extracted: 12/17/2007	·
Concentrate	d Extract Volume: 5000.0	_ (uL)	Date	Analyzed: 12/21/2007	
Injection V	olume: 1.0 (uL) GPC Fac	ctor: 1.0	· ·	Dilution Factor: 2.0	
GPC Cleanup	: (Y/N) N pH: 6.6		Sulfi	ur Cleanup: (Y/N) Y	
	p: (Y/N) Y				_
CAS NO.	COMPOUND			CONCENTRATION UNITS: (ug/L or ug/kg):ug/kg	Q
12674-11-2	Aroclor-1016			77	Ū
11104-28-2	Aroclor-1221			77	Ū.
11141-16-5	Aroclor-1232			77	Ü
53469-21-9	Aroclor-1242			77	U
12672-29-6	Aroclor-1248			4000 4600	E-PSA
11097-69-1	Aroclor-1254			4300 4900	E.S.
11096-82-5	Aroclor-1260			77	ט
37324-23-5	Aroclor-1262			77	Ü
11100-14-4	Aroclor-1268			77	Ū

A TRANSFERRED

FROM

BHUSDL

EPA SAMPLE NO.

B4HL6

Lab Name: S	healy Environmental Services, Inc.	_	Contr	ract: EP-W-05-031	· · · · · ·
Lab Code: S	HEALY Case No.: 37088	_ Mod.	Ref No.	: SDG No.: <u>B4HK</u>	9
Matrix: (SO	IL/SED/WATER) Soil	- .	Lab S	Sample ID: <u>IL13009-008</u>	
Sample wt/v	ol: 15.0 (g/mL) g		Lab 1	File ID: <u>035F3601</u>	
% Moisture:	Decanted: (Y/N)	N	Date	Received: 12/12/2007	
Extraction:	(Type) PFEX	_	Date	Extracted: 12/17/2007	
Concentrate	d Extract Volume: 5000.0	_ (uL)	Date	Analyzed: <u>12/21/2007</u>	
Injection V	olume: 1.0 (uL) GPC Fa	ctor: <u>1</u>	0	Dilution Factor: 2.0	
GPC Cleanup	: (Y/N) N pH: 7.5	<u> </u>	Sulf	ur Cleanup: (Y/N) Y	
Acid Cleanu	np: (Y/N) Y				
CAS NO.	COMPOUND			CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-2	Aroclor-1016			. 80	Ü
11104-28-2	Aroclor-1221			80	Ŭ
11141-16-5	Aroclor-1232			80	Ŭ
53469-21-9	Aroclor-1242			80	Ü
12672-29-6	Aroclor-1248			2700 3200	E-PS *
11097-69-1	Aroclor-1254			330()3500	E-S X
	Aroclor-1260			80	U
	Aroclor-1262			. 80	U
11100-14-4	Aroclor-1268			80.	· U

* TRANSFERRED

FROM

B4HL6DL

EPA SAMPLE NO.

B4HL7

Lab Name: St	nealy Environmental Services, Inc.	≟ .	Contra	act: <u>EP-W-05-031</u>	
Lab Code: Sl	HEALY Case No.: 37088	_ Mod. R	ef No.:	SDG No.: B4HK	9
Matrix: (SO	IL/SED/WATER)Soil	-	Lab S	ample ID: <u> L13009-009</u>	•
Sample wt/v	ol: 15.0 (g/mL) g	<u>.</u>	Lab F	ile ID: <u>036F3701</u>	
% Moisture:	Decanted: (Y/N)	N	Date :	Received: 12/12/2007	
Extraction:	(Type) PFEX		Date	Extracted <u>12/17/2007</u>	
Concentrate	d Extract Volume: 5000.0	_ (uL)	Date	Analyzed: 12/21/2007	
	olume: 1.0 (uL) GPC Fac				
	: (Y/N) N pH: 6.9				
	p: (Y/N) Y	· · · · · · · · · · · · · · · · · · ·			٠
CAS NO.	COMPOUND			CONCENTRATION UNITS: (ug/L or ug/kg):ug/kg	Q
12674-11-2	Aroclor-1016			100	U
11104-28-2	Aroclor-1221			100	U ·
11141-16-5	Aroclor-1232			100	Ū
53469-21-9	Aroclor-1242			100	. U
12672-29-6	Aroclor-1248			100	U
11097-69-1	Aroclor-1254			43000 51000	E-S#
11096-82-5	Aroclor-1260			. 100	υ.
37324-23-5	Aroclor-1262			100	Ū
11100-14-4	Aroclor-1268	•	1	100	ט

A TRANSFERRED FROM BYHLADL

EPA SAMPLE NO. B4HL8

Lab Name: Shealy Environmental Services, Inc.	ontract: EP-W-05-031	
Lab Code: SHEALY Case No.: 37088 Mod. Ref	No.: SDG No.: B4HK	9
Matrix: (SOIL/SED/WATER)Soil	ab Sample ID: L13009-010	
Sample wt/vol: 15.0 (g/mL) g I	ab File ID: 037F3801	
% Moisture: 31 Decanted: (Y/N) N	Pate Received: 12/12/2007	
Extraction: (Type) PFEX	Date Extracted: 12/17/2007	
Concentrated Extract Volume: 5000.0 (uL)	Date Analyzed: <u>12/21/2007</u>	
Injection Volume: 1.0 (uL) GPC Factor: 1.0	Dilution Factor: 2.0	
GPC Cleanup: (Y/N) N pH: 7.0		
Acid Cleanup: (Y/N) Y		•
CAS NO. COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-2 Aroclor-1016	96	Ū
11104-28-2 Aroclor-1221	96	Ü
11141-16-5 Aroclor-1232	. 96	Ü
53469-21-9 Aroclor-1242	96	U
12672-29-6 Aroclor-1248	96	U
11097-69-1 Aroclor-1254	37000 3 7000	E-9X
11096-82-5 Aroclor-1260	96	U´.
37324-23-5 Aroclor-1262	96	Ŭ
11100-14-4 Aroclor-1268	96	Ŭ

* TRANSFERRED FROM BYHL8DL

EPA SAMPLE NO. B4HL9

Lab Name: St	nealy Environmental Services, Inc.	Contract: EP-W-05-031
Lab Code: Si	HEALY Case No.: 37088 M	od. Ref No.: SDG No.: B4HK9
Matrix: (SO	IL/SED/WATER) Soil	Lab Sample ID: <u> L13009-011</u>
Sample wt/v	ol:15.0 (g/mL) g	Lab File ID: 038F3901
% Moisture:	Decanted: (Y/N) N	Date Received: 12/12/2007
Extraction:	(Type) PFEX	Date Extracted 12/17/2007
Concentrate	d Extract Volume: 5000.0 (1	L) Date Analyzed: 12/21/2007
		r:1.0 Dilution Factor: 2.0
GPC Cleanup	: (Y/N) N pH: 7.4	Sulfur Cleanup: (Y/N) Y
Acid Cleanu	ap: (Y/N) Y	
CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg Q
12674-11-2	Aroclor-1016	85 U
11104-28-2	Aroclor-1221	85 U
11141-16-5	Aroclor-1232	85 U
53469-21-9	Aroclor-1242	85 U
12672-29-6	Aroclor-1248	· 85 U
	Aroclor-1254	25000 26000 EST
	Aroclor-1260	85 U
37324-23-5	Aroclor-1262	85 U
11100-14-4	Aroclor-1268	. 85 U

A TRANSFERRED FROM B4HL9DU

EPA SIMPLE NO.

B4HM0

Lab Name: Shealy Environmental Services, Inc. Cor	tract: <u>EP-W-05-031</u>	· ·
Lab Code: SHEALY Case No.: 37088 Mod. Ref N	o.:SDG No.: B4HK	9
Matrix: (SOIL/SED/WATER)Soil Lal	Sample ID: <u>HL13009-012</u>	
Sample wt/vol: 15.0 (g/mL) g Lak	File ID: <u>039F4001</u>	
% Moisture: 27 Decanted: (Y/N) N Date	ce Received: <u>12/12/2007</u>	
Extraction: (Type) PFEX Da	te Extracted: 12/17/2007	
Concentrated Extract Volume: 5000.0 (uL) Da	te Analyzed: 12/21/2007	
Injection Volume: 1.0 (uL) GPC Factor: 1.0		<u> </u>
GPC Cleanup: (Y/N) N pH: 7.3 Su	lfur Cleanup: (Y/N) Y	
Acid Cleanup: (Y/N) Y		
CAS NO. COMPOUND	CONCENTRATION UNITS: (ug/L or ug/kg) ug/kg	Q
12674-11-2 Aroclor-1016	90	Ū
11104-28-2 Aroclor-1221	90	Ū
11141-16-5 Aroclor-1232	90	U
53469-21-9 Aroclor-1242	90	Ü
12672-29-6 Aroclor-1248	90	U
11097-69-1 Aroclor-1254	26000 2700 0	ESA
11096-82-5 Aroclor-1260	90	Ū
37324-23-5 Aroclor-1262	90	Ų.
11100-14-4 Aroclor-1268	90	U

* TRANSFERRED FROM BHHMODL

PA SAMPLE NO.

B4HM1

Lab Name: S	nealy Environmental Services, Inc.	Contract: EP-W-05-031	
Lab Code: S	HEALY Case No.: 37088 Mod.	Ref No.: SDG No.: B4HK9)
Matrix: (SO	IL/SED/WATER)Soil	Lab Sample ID: <u> L13009-013</u>	
Sample wt/v	ol: <u>15.0</u> (g/mL) <u>g</u>	Lab File ID: <u>042F4301</u>	
% Moisture:	26 Decanted: (Y/N) N	Date Received: <u>12/12/2007</u>	· ·
Extraction:	(Type) PFEX	Date Extracted:12/17/2007	
Concentrate	d Extract Volume: 5000.0 (uL)	Date Analyzed: 12/21/2007	
	olume: 1.0 (uL) GPC Factor: 1.		
	: (Y/N) N pH: 7.0	· · · · · · · · · · · · · · · · · · ·	
Acid Cleanu	p: (Y/N) Y		
CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	. Q
12674-11-2	Aroclor-1016	89	Ū
11104-28-2	Aroclor-1221	89	U
11141-16-5	Aroclor-1232	89	Ū
53469-21-9	Aroclor-1242	89	U
	Aroclor-1248	89	U
	Aroclor-1254	14000 14000	Es X
11096-82-5	Aroclor-1260	89	· U
	Aroclor-1262	89	Ü
111100-14-4	Aroclor-1268	89	TT

A TRANSFERRED

FROM BYHMIDL

SOM01.2 (10/2006)

B4HM2

Lab Name: St	nealy Environmental Services, Inc.	Contr	act: EP-W-05-031	
Lab Code: SI	HEALY Case No.: 37088	Mod. Ref No.:	SDG No.: B4HK	9
Matrix: (SO	IL/SED/WATER) Soil	Lab S	ample ID: <u>L13009-014</u>	
Sample wt/v	ol: 15.0 (g/mL) g	Lab F	ile ID: <u>043F4401</u>	
% Moisture:	30 Decanted: (Y/N)	N Date	Received: <u>12/12/2007</u>	· .
Extraction:	(Type) PFEX	Date	Extracted :12/17/2007	· .
Concentrate	d Extract Volume: 5000.0	(uL) Date	Analyzed: 12/21/2007	
Injection V	olume: 1.0 (uL) GPC Fact	or: 1.0	Dilution Factor: 2.0	
GPC Cleanup	: (Y/N) N pH: 6.9	Sulfu	r Cleanup: (Y/N) Y	
Acid Cleanu	p: (Y/N) Y	- .		
CAS NO.	COMPOUND	:	CONCENTRATION UNITS: (ug/L or ug/kg) :ug/kg	Q
12674-11-2	Aroclor-1016		94	Ū
11104-28-2	Aroclor-1221		94	Ū
11141-16-5	Aroclor-1232		94	U
53469-21-9	Aroclor-1242		94	U
	Aroclor-1248		94	U
	Aroclor-1254		12000 14000	ESX
	Aroclor-1260		. 94	U
	Aroclor-1262		94	Ŭ
111100-14-4	Aroclor-1268	•	94	Ū

A TRANSFERRED FROM BYHMZDL

EPA SAMPLE NO. B4HM3

Lab Name: Shealy Environmental Services, Inc.	Contract: EP-W-05-031
Lab Code: SHEALY Case No.: 37088 Mod. Re	f No.: SDG No.: <u>B4HK9</u>
Matrix: (SOIL/SED/WATER)Soil	Lab Sample ID: <u>IL13009-015</u>
Sample wt/vol:	Lab File ID: <u>034F3401</u>
% Moisture: 18 Decanted: (Y/N) N	Date Received: <u>12/12/2007</u>
Extraction: (Type) PFEX	Date Extracted:12/17/2007
Concentrated Extract Volume: 5000.0 (uL)	Date Analyzed: 12/22/2007
	Dilution Factor: 1.0
GPC Cleanup: (Y/N) N pH: 6.2	Sulfur Cleanup: (Y/N) Y
Acid Cleanup: (Y/N) Y	

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-	2 Aroclor-1016	40	บ
11104-28-	2 Aroclor-1221	40	U
11141-16-	5 Aroclor-1232	40	U
53469-21-	9 Aroclor-1242	40	U
12672-29-	6 Aroclor-1248	40	Ŭ
11097-69-	1 Aroclor-1254	120	
11096-82-	5 Aroclor-1260	40	U
37324-23-	5 Aroclor-1262	40	Ū
11100-14-	4 Aroclor-1268	40	Ŭ

EPA SAMPLE NO.

B4HM4RE

Lab Name: Shealy Environmental Services, Inc.	Contract: EP-W-05-031
Lab Code: SHEALY Case No.: 37088	Mod. Ref No.: SDG No.: B4HK9
Matrix: (SOIL/SED/WATER)Soil	Lab Sample ID: <u>IL13009-016</u>
Sample wt/vol: 15.0 (g/mL) g	Lab File ID: 035F3501
% Moisture: 15 Decanted: (Y/N)	N Date Received: 12/12/2007
Extraction: (Type) PFEX	Date Extracted:12/17/2007
Concentrated Extract Volume: 5000.0	(uL) Date Analyzed: 12/22/2007
Injection Volume: 1.0 (uL) GPC Fac	
GPC Cleanup: (Y/N) N pH: 7.3	Sulfur Cleanup: (Y/N) Y
Acid Cleanup: (Y/N) Y	
	CONCENEDATION UNITES.

		·	
CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-	2 Aroclor-1016	78	U
11104-28-	2 Aroclor-1221	78	Ū
11141-16-	5 Aroclor-1232	78_	Ū
53469-21-	9 Aroclor-1242	78	U
12672-29-	6 Aroclor-1248	78	ט
11097-69-	1 Aroclor-1254	560	
11096-82-	5 Aroclor-1260	78	บ
37324-23-	5 Aroclor-1262	78	Ū
11100-14-	4 Aroclor-1268	78	ט

PA SAMPLE NO. B4HM5

Lab Name: St	nealy Environmental Services, Inc.	Conti	ract: <u>EP-W-05-031</u>		
Lab Code: SI	HEALY Case No.: 37088	Mod. Ref No.	: SDG N	o.: <u>B4HK</u>	9
Matrix: (SO	IL/SED/WATER)Soil	Lab	Sample ID: <u>IL1300</u> 9	9-017	·
Sample wt/v	ol: 15.0 (g/mL) g	Lab	File ID: <u>046F4701</u>		
% Moisture:	Decanted: (Y/N)	N Date	Received: 12/12/2	007	· · · · · · · · · · · · · · · · · · ·
Extraction:	(Type) PFEX	Date	Extracted: 12/17/2	2007	
Concentrate	d Extract Volume: 5000.0	_(uL) Date	Analyzed: 12/21/2	2007	· .
	olume: 1.0 (uL) GPC Fac				
•	: (Y/N) N pH: 6.8				
Acid Cleanu	p: (Y/N)Y				
CAS NO.	COMPOUND		CONCENTRATION (ug/L or ug/Kg)	UNITS:	Q
12674-11-2	Aroclor-1016			98	Ü
11104-28-2	Aroclor-1221			98	Ü
11141-16-5	Aroclor-1232			98	ט
53469-21-9	Aroclor-1242			98	Ü
	Aroclor-1248		1.10	98	Ū
	Aroclor-1254		48000	56000	E PSX
	Aroclor-1260			98	Ü
37324-23-5	Aroclor-1262			98	Ü
11100-14-4	Aroclor-1268			98	Ŭ

* TRANSFERRED FROM BYHMEDL

EPA SAMPLE NO.
B4HM6

Lab Name: Shealy Environmental Services, Inc. Con	tract: EP-W-05-031	
Lab Code: SHEALY Case No.: 37088 Mod. Ref No.	o.: SDG No.: B4HK9	
Matrix: (SOIL/SED/WATER) Soil Lab	Sample ID: <u>LL13009-018</u>	
Sample wt/vol: 15.0 (g/mL) g Lab	File ID: <u>047F4801</u>	
% Moisture: 24 Decanted: (Y/N) N Dat	e Received: 12/12/2007	
Extraction: (Type) PFEX Dat	te Extracted:12/17/2007	·
Concentrated Extract Volume: 5000.0 (uL) Date	te Analyzed: 12/21/2007	
Injection Volume: 1.0 (uL) GPC Factor: 1.0		
GPC Cleanup: (Y/N) N pH: 6.8 Sul	fur Cleanup: (Y/N) Y	
Acid Cleanup: (Y/N) Y		
CAS NO. COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	
12674-11-2 Aroclor-1016	87 ט	
11104-28-2 Aroclor-1221	87 U	
11141-16-5 Aroclor-1232	87 U	
53469-21-9 Aroclor-1242	87 U	
12672-29-6 Aroclor-1248	21000 2 2000 E-P	
11097-69-1 Aroclor-1254	1700() 19000 E-8	**
11096-82-5 Aroclor-1260	87 U	
37324-23-5 Aroclor-1262	87 ਹ	
11100-14-4 Aroclor-1268	ט 87 ט	

* TRANSFERRED FROM BUHMEDL

SOM01.2 (10/2006)

B4HM7

Lab Name: St	nealy Environmental Services, Inc.	Contr	ract: EP-W-05-031	
Lab Code: St	HEALY Case No.: 37088	_ Mod. Ref No.	: SDG No.: <u>B4HK</u>	9
Matrix: (SO	IL/SED/WATER) <mark>Soil</mark>	_ Lab S	Sample ID: <u> L13009-019</u>	
Sample wt/v	ol: 15.0 (g/mL) g	_ Lab I	File ID: <u>048F4901</u>	
% Moisture:	Decanted: (Y/N)	N Date	Received: <u>12/12/2007</u>	· · · · · · · · · · · · · · · · · · ·
Extraction:	(Type) PFEX	Date	Extracted: 12/17/2007	
Concentrate	d Extract Volume: 5000.0	_(uL) Date	Analyzed: 12/21/2007	
Injection V	olume: 1.0 (uL) GPC Fa	ctor: <u>1.0</u>	Dilution Factor: 2.0	
GPC Cleanup	: (Y/N) N pH: 7.1	Sulf	ur Cleanup: (Y/N) Y	
Acid Cleanu	p: (Y/N) Y	· .		
CAS NO.	COMPOUND		CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-2	Aroclor-1016		85	ט
11104-28-2	Aroclor-1221		85	U
	Aroclor-1232		85	Ū
	Aroclor-1242		85	Ŭ
· ·	Aroclor-1248		85.	ט
	Aroclor-1254		2600 2500	E-SA
	Aroclor-1260		85	ט
	Aroclor-1262		85	U
111100-14-4	Aroclor-1268		l 85 i	Ü

* TRANSFERRED FROM BYHMADL

EPA SAMPLE NO.

B4HM8

Lab Name:	Shealy Environmental Services, Inc.	Contra	ct: EP-W-05-031	·
Lab Code:	SHEALY Case No.: 37088	Mod. Ref No.:	SDG No.: B4HK	9
Matrix: (S	OIL/SED/WATER)Soil	Lab Sa	ample ID: <u> L13009-020</u>	
Sample wt/	vol: 15.0 (g/mL) g	Lab F	le ID: <u>039F3901</u>	
% Moisture	: 16 Decanted: (Y/N)	V Date 1	Received: <u>12/12/2007</u>	<u> </u>
Extraction	: (Type) PFEX	Date	Extracted: 12/17/2007	
	ed Extract Volume: 5000.0 Volume: 1.0 (uL) GPC Fact			
GPC Cleanu	p: (Y/N) N pH: 7.3			
CAS NO.	COMPOUND		CONCENTRATION UNITS: (ug/L or ug/Kg) :ug/kg	Q
12674 11	2 2 3 1016		20	77

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-	2 Aroclor-1016	39	Ū
11104-28-	2 Aroclor-1221	39	U
11141-16-	5 Aroclor-1232	39	U
53469-21-	9 Aroclor-1242	39	Ū
12672-29-	6 Aroclor-1248	39	Ū
11097-69-	1 Aroclor-1254	76	10
11096-82-	5 Aroclor-1260	39	ับ
37324-23-	5 Aroclor-1262	39	Ū
11100-14-	4 Aroclor-1268	39	<u> </u>

EPA SAMPLE NO.
B4HM0MS(1)

Lab Name: Shealy Environmental Services, Inc. Co.	ntract: EP-W-05-031				
Lab Code: SHEALY Case No.: 37088 Mod. Ref N	No.: SDG No.: <u>B4HK9</u>				
Matrix: (SOIL/SED/WATER)Soil La	b Sample ID: <u> L13009-012MS</u>				
Sample wt/vol: 15.0 (g/mL) g La	b File ID: <u>040F4101</u>				
% Moisture: 27 Decanted: (Y/N) N Da	te Received: <u>12/12/2007</u>				
	te Extracted: 12/17/2007				
Concentrated Extract Volume: 5000.0 (uL) Da	ate Analyzed: 12/21/2007				
Injection Volume: 1.0 (uL) GPC Factor: 1.0					
GPC Cleanup: (Y/N) N pH: 2.0 Su	lfur Cleanup: (Y/N) Y				
Acid Cleanup: (Y/N) Y					
CAS NO. COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q			
12674-11-2 Aroclor-1016	2900	E P J			
11104-28-2 Aroclor-1221	90	Ū			

EPA SAMPLE NO.

B4HM0MSD(1)

Lab Name: S	nealy Environmental Services, Inc.	Contr	cact: EP-W-05-031	
Lab Code: SI	HEALY Case No.: 37088 Mod.	. Ref No.	: SDG No.: B4HK9) ·
	IL/SED/WATER)Soil		Sample ID: <u> L13009-012MD</u>	
Sample wt/v	ol:15.0 (g/mL) g	Lab 1	File ID: <u>041F4201</u>	
% Moisture:	27 Decanted: (Y/N) N	Date	Received: 12/12/2007	
Extraction:	(Type) PFEX	Date	Extracted: 12/17/2007	
Concentrate	d Extract Volume: 5000.0 (uL)	Date	Analyzed: 12/21/2007	
	olume: 1.0 (uL) GPC Factor: 1			
	o: (Y/N) N pH: 2.0			
Acid Clean	ap: (Y/N) Y			
CAS NO.	COMPOUND		CONCENTRATION UNITS: (ug/L or ug/Kg):ug/kg	Q
12674-11-2	Aroclor-1016		4400	F 7
11104-28-2	Aroclor-1221		90	Ū
11141-16-5	Aroclor-1232		90	U
53469-21-9	Aroclor-1242		90	Ŭ.
12672-29-6	Aroclor-1248		90	· U
	Aroclor-1254	·	27000	
	Aroclor-1260		7700	<u> </u>
	Aroclor-1262		90	U
11100-14-4	Aroclor-1268		90	U

EPA SAMPLE NO.
ALCS68(1)

Lab Name: Sh	nealy Environmental Services, Inc.		Contr	act: EP-W-05-031	
Lab Code: Sh	HEALY Case No.: 37088	Mod. R€	ef No.:	: SDG No.: <u>B4HK</u>	9 .
	IL/SED/WATER)Soil	-		Sample ID: <u>IQ69868-002</u>	
Sample wt/v	ol:15.0 (g/mL) g		Lab F	File ID: 017F1701	
% Moisture:	0.00 Decanted: (Y/N)	N	Date	Received:	
Extraction:	(Type) PFEX		Date	Extracted :12/17/2007	
Concentrate	d Extract Volume: 5000.0	(uL)	Date	Analyzed: 12/21/2007	
Injection V	olume: 1.0 (uL) GPC Fac	tor: 1.0		Dilution Factor: 1.0	
	: (Y/N) N pH: 0.0				
	p: (Y/N) Y				
CAS NO.	COMPOUND			CONCENTRATION UNITS: (ug/L or ug/kg):ug/kg	Q
12674-11-2	Aroclor-1016			52	
11104-28-2	Aroclor-1221			33	Ü
11141-16-5	Aroclor-1232			33	U
53469-21-9	Aroclor-1242			33	ט
12672-29-6	Aroclor-1248			33	Ü
11097-69-1	Aroclor-1254			33	U ·
11096-82-5	Aroclor-1260			62	· · · · · · · · · · · · · · · · · · ·
37324-23-5	Aroglor-1262			33	ŢŢ

11100-14-4 Aroclor-1268

33

U ·

ATTACHMENT 1 SOM01.2/Aroclors SOP NO. HW-37

Page 1 of 11

Functional Guidelines for Evaluating Organic Analysis

CASE No.:37088

SDG No.: B4HP9 & B4HK9 & B4HM9

LABORATORY: SHEALY

SITE: Cornell Dubilier

SAMPLER: W-RST

ANALYSIS: PCB

DATA ASSESSMENT

The current SOP HW-37 (Revision 1) August 2007, USEPA Region II Data Validation SOP for Statement of Work SOM01.2 for evaluating organic data have been applied.

All data are valid and acceptable except those analytes rejected "R"(unusable). Due to the detection of QC problems, some analytes may have the "J" (estimated), "N"(presumptive evidence for the presence of the material), "U" (non-detect) or "JN" (presumptive evidence for the presence of the material at an estimated value) flag. All action is detailed on the attached sheets.

The "R" flag means that the associated value is unusable. In other words, significant data bias is evident and the reported analyte concentration is unreliable.

Reviewer's Signature:

Shohitha Amin

Tweethall

Peer Reviewer's

Signature:

Date: February /20 /2008

Date: 716 12/ 12008

Verified By:

Date: 2 / 2/12008

SDG# B4HP9

1. HOLDING TIME:

The amount of an analyte in a sample can change with time due to chemical instability, degradation, volatilization, etc. If the specified holding time is exceeded, the data may not be valid. Those analytes detected in the samples whose holding time has been exceeded will be qualified as estimated, "J". The non-detects (sample quantitation limits) will be flagged as estimated, "J", or unusable, "R", if the holding times are grossly exceeded.

The following action was taken in the samples and analytes shown due to excessive holding time.

No problems found for this qualification.

2. SURROGATES

All samples are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. If the measured surrogate concentrations were outside contract specifications, qualifications were applied to the samples and analytes as shown below.

ADSS2-The following aroclor samples have surrogate percent recoveries which exceed the primary maximum criteria but are less than or equal to the expanded maximum criteria. Detected compounds are qualified J. Nondetected compounds are not qualified.

- Tetrachloro-m-xylene ALCS51, B4HR7MS, B4HR7MSD
- -Aroclor-1016, Aroclor-1221, Aroclor-1232, Aroclor-1242, Aroclor-1248, Aroclor-1254, Aroclor-1260, Aroclor-1262, Aroclor-1268

3. MATRIX SPIKE/SPIKE DUPLICATE, MS/MSD:

AMS1-The relative percent difference (RPD) between the following aroclor matrix spike and matrix spike duplicate recoveries is outside criteria. Detected compounds are qualified J. Nondetected compounds are not qualified.

- Aroclor-1260 B4HQ2MS, B4HQ2MSD, B4HQ2
- Aroclor-1016 B4HQ2MS, B4HQ2MSD, B4HQ2

AMS4-The following Aroclor matrix/matrix spike duplicate samples have percent recoveries that are greater than the upper acceptance limit Detected compounds are qualified J. Nondetected compounds are not qualified.

- Aroclor-1260 B4HQ2MS, B4HQ2MSD, B4HQ2

Laboratory Control Samples (LCS):

The LCSs data provides information on the accuracy of the analytical method and laboratory performance. If LCS recoveries fell outside of the acceptable limits, qualifications were applied to the associated samples and compounds as shown below.

ALCS2-The following aroclor samples are associated with a laboratory control sample (LCS) with percent recoveries outside the upper limit of the criteria window. Detected compounds are qualified J. Nondetected compounds are not qualified.

-B4HQ6, B4HQ6DL, B4HQ7, B4HQ7DL, B4HQ8, B4HQ8DL, B4HQ9, B4HR0, B4HR0DL, B4HR1, B4HR1DL, B4HR2, B4HR2DL, B4HR3, B4HR3DL, B4HR4, B4HR4DL, B4HR5, B4HR5DL, B4HR6, B4HR6DL, B4HR7, B4HR7MS, B4HR7MSD, B4HR8

- Aroclor-1260 ALCS51

4. BLANK CONTAMINATION:

Quality assurance (QA) blanks, i.e., method, field, or rinse blanks are prepared to identify any contamination, which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Field and rinse blanks measure cross-contamination of samples during field operations. Depending on the concentration of the analyte in the blank, the analytes are qualified as non-detects U.

The following analytes in the sample shown were qualified with "U" for these reasons:

A) Method blank contamination:

No additional qualification due to Instrument blank contamination.

B) Field or rinse blank contamination:

No problems found for this qualification.

5. CALIBRATION:

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of giving acceptable performance at the beginning of an experimental sequence. The continuing calibration checks document that the instrument is giving satisfactory daily performance.

A) Percent Relative Standard Deviation (%RSD) and Percent Difference (%D):

For the PCB fraction, if %RSD exceeds 20% for all analytes and the two surrogates, qualify all associated positive results "J" and non-detects "UJ".

For opening CCV, or closing CCV that is used as an opening CCV for the next 12-hour period, if %D exceeds 15% for analytes and the two surrogates, qualify all associated positive results "J" and non-detects "UJ".

For closing CCV, if %D exceeds 50% for all analytes and the two surrogates, qualify all associated positive results "J" and non-detects "UJ".

The following analytes in the sample shown were qualified for %RSD and %D:

AC12-The following aroclor samples are associated with an opening or closing CCV with % Difference exceeding criteria. Detected compounds are qualified J. Nondetected compounds are

qualified UJ.

- Aroclor-1260 AR16603D2, AR16603Z6

-ABLK51, B4HP9DL, B4HQ0DL, B4HQ2DL, B4HQ3DL, B4HQ4DL, B4HQ5DL, B4HQ6, B4HQ7, B4HQ8, B4HQ9, B4HR0, B4HR1, B4HR2, B4HR3, B4HR4, B4HR5, B4HR6, B4HR7, B4HR7MS, B4HR7MSD, B4HR8

6. COMPOUND IDENTIFICATION:

A) PCB Fraction:

The retention times of reported compounds must fall within the calculated retention time windows for the two chromatographic columns and a GC/MS confirmation is required if the concentration exceeds 10ng/ml in the final sample extract.

ADL332-The following aroclor samples have percent differences between analyte results exceeding 50% and the results are below CRQL. Detected compounds are qualified U. Nondetected compounds are not qualified. Reported sample concentrations have been elevated to the CRQL.

QUALIFIED U:

- Aroclor-1254 B4HR7, B4HR8

ADL312-The following aroclor samples have percent differences between analyte results in the range of 26-70%. Detected compounds are qualified J. Nondetected compounds are not qualified.

QUALIFIED J:

- Aroclor-1260 B4HQ2MS, B4HQ2MSD, B4HR7MSD, B4HR7MS
- **Aroclor-1254** B4HP9, B4HP9DL, B4HQ2, B4HQ2DL, B4HQ2MS, B4HQ2MSD, B4HQ6, B4HQ7, B4HR0DL, B4HR1DL, B4HR5, B4HR7MS, B4HR7MSD, B4HQ3, B4HQ3DL, B4HQ8, B4HQ9, B4HR0, B4HR1
- Aroclor-1016 B4HQ2MS, B4HQ2MSD
- 7. CONTRACT PROBLEMS NON-COMPLIANCE:
- 8. FIELD DOCUMENTATION:
- 9. OTHER PROBLEMS:

Sample# B4HR7: Aroclor-1254 was reported below CRQL in the sample. Aroclor-1254 was reported at 290 and 320 microgram/ kg in B4HR7MS & B4HR7MSD.

Aroclors, other than those reported may be present in some of the samples.

10. This package contains re-extracted, re-analyzed or dilution runs. Upon reviewing the QA results, the following Form 1(s) are identified NOT to be used.

B4HP9DL, B4HQ0DL, B4HQ2DL, B4HQ3DL, B4HQ4DL, B4HQ5DL, B4HQ6DL, B4HQ7DL, B4HQ8DL, B4HR0DL, B4HR1DL, B4HR2DL, B4HR3DL, B4HR4DL, B4HR5DL, B4HR6DL,

SDG# B4HK9

1. HOLDING TIME:

The amount of an analyte in a sample can change with time due to chemical instability, degradation, volatilization, etc. If the specified holding time is exceeded, the data may not be valid. Those analytes detected in the samples whose holding time has been exceeded will be qualified as estimated, "J". The non-detects (sample quantitation limits) will be flagged as estimated, "J", or unusable, "R", if the holding times are grossly exceeded.

The following action was taken in the samples and analytes shown due to excessive holding time.

No problems found for this qualification.

2. SURROGATES

All samples are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. If the measured surrogate concentrations were outside contract specifications, qualifications were applied to the samples and analytes as shown below.

No problems found for this qualification.

3. MATRIX SPIKE/SPIKE DUPLICATE, MS/MSD:

AMS1-The relative percent difference (RPD) between the following aroclor matrix spike and matrix spike duplicate recoveries is outside criteria. Detected compounds are qualified J. Nondetected compounds are not qualified.

- Aroclor-1016 B4HM0MS, B4HM0MSD, B4HM0

AMS4-The following Aroclor matrix/matrix spike duplicate samples have percent recoveries that are greater than the upper acceptance limit
Detected compounds are qualified J. Nondetected compounds are not qualified.

- Aroclor-1260 B4HM0MS, B4HM0MSD, B4HM0
- Aroclor-1016 B4HM0MS, B4HM0MSD, B4HM0

Laboratory Control Samples (LCS):

The LCSs data provides information on the accuracy of the analytical method and laboratory performance. If LCS recoveries fell outside of the acceptable limits, qualifications were applied to the associated samples and compounds as shown below.

No problems found for this qualification.

4. BLANK CONTAMINATION:

Quality assurance (QA) blanks, i.e., method, field, or rinse blanks are prepared to identify any contamination, which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Field and rinse blanks measure cross-contamination of samples during field operations. Depending on the concentration of the analyte in the blank, the analytes are qualified as non-detects U.

The following analytes in the sample shown were qualified with "U" for these reasons:

- A) Method blank contamination:
 - No problems found for this qualification.
- B) Field or rinse blank contamination:

No problems found for this qualification.

5. CALIBRATION:

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of giving acceptable performance at the beginning of an experimental sequence. The continuing calibration checks document that the instrument is giving satisfactory daily performance.

A) Percent Relative Standard Deviation (%RSD) and Percent Difference (%D):

For the PCB fraction, if %RSD exceeds 20% for all analytes and the two surrogates, qualify all associated positive results "J" and non-detects "UJ".

For opening CCV, or closing CCV that is used as an opening CCV for the next 12-hour period, if %D exceeds 15% for analytes and the two surrogates, qualify all associated positive results "J" and non-detects "UJ".

For closing CCV, if %D exceeds 50% for all analytes and the two surrogates, qualify all associated positive results "J" and non-detects "UJ".

The following analytes in the sample shown were qualified for %RSD and %D:

AC16-The following aroclor samples are associated with an opening and a closing CCV that are not analyzed at the correct frequency. Detected compounds are qualified J.

- Aroclor-1254

B4HK9, B4HL0, B4HL1, B4HL2, B4HL3, B4HL5, B4HL6, B4HL7, B4HL8, B4HL9, B4HM0, B4HM0MS, B4HM0MSD, B4HM1, B4HM2, B4HM4, B4HM5, B4HM6, B4HM7

- Aroclor-1248
- B4HL5, B4HL6, B4HM6
- 6. COMPOUND IDENTIFICATION:
- A) PCB Fraction:

The retention times of reported compounds must fall within the calculated retention time windows for the two chromatographic columns and a GC/MS confirmation is required if the concentration exceeds 10ng/ml in the final sample extract.

ADL312-The following aroclor samples have percent differences between analyte results in the range of 26-70%. Detected compounds are qualified J.

QUALIFIED J:

- Aroclor-1260 B4HM0MS, B4HM0MSD
- Aroclor-1254 B4HL0, B4HL3, B4HL3DL, B4HM3, B4HM4, B4HM4RE, B4HM8
- Aroclor-1248 B4HL5, B4HL5DL, B4HL6, B4HL6DL, B4HM6, B4HM6DL

ADL322-The following aroclor samples have percent differences between analyte results in the range of 71-100%. Detected compounds are qualified NJ.

QUALIFIED J:

- Aroclor-1254 B4HL4
- Aroclor-1016 B4HM0MSD, B4HM0MS

7. CONTRACT PROBLEMS NON-COMPLIANCE:

The following Aroclor samples have no associated initial instrument blank.

B4HK9, B4HL0, B4HL1, B4HL2, B4HL3, B4HL5, B4HL6, B4HL7, B4HL8, B4HL9, B4HM0, B4HM0MS, B4HM0MSD, B4HM1, B4HM2, B4HM4, B4HM5, B4HM6, B4HM7

- 8. FIELD DOCUMENTATION:
- 9. OTHER PROBLEMS:
- 10. This package contains re-extracted, re-analyzed or dilution runs. Upon reviewing the QA results, the following Form 1(s) are identified NOT to be used.

B4HK9DL, B4HL0DL, B4HL1DL, B4HL2DL, B4HL3DL, B4HL5DL, B4HL6DL, B4HL7DL, B4HL8DL, B4HM9DL, B4HM0DL, B4HM1DL, B4HM2DL, B4HM4, B4HM5DL, B4HM6DL, B4HM7DL

SDG# B4HM9

1. HOLDING TIME:

The amount of an analyte in a sample can change with time due to chemical instability, degradation, volatilization, etc. If the specified holding time is exceeded, the data may not be valid. Those analytes detected in the samples whose holding time has been exceeded will be qualified as estimated, "J". The non-detects (sample quantitation limits) will be flagged as estimated, "J", or unusable, "R", if the holding times are grossly exceeded.

The following action was taken in the samples and analytes shown due to excessive holding time.

No problems found for this qualification.

2. SURROGATES

All samples are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. If the measured surrogate concentrations were outside contract specifications, qualifications were applied to the samples and analytes as shown below.

No problems found for this qualification.

3. MATRIX SPIKE/SPIKE DUPLICATE, MS/MSD:

No problems found for this qualification.

Laboratory Control Samples (LCS):

The LCSs data provides information on the accuracy of the analytical method and laboratory performance. If LCS recoveries fell outside of the acceptable limits, qualifications were applied to the associated samples and compounds as shown below.

No problems found for this qualification.

4. BLANK CONTAMINATION:

Quality assurance (QA) blanks, i.e., method, field, or rinse blanks are prepared to identify any contamination, which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Field and rinse blanks measure cross-contamination of samples during field operations. Depending on the concentration of the analyte in the blank, the analytes are qualified as non-detects U.

The following analytes in the sample shown were qualified with "U" for these reasons:

A) Method blank contamination:

No problems found for this qualification.

B) Field or rinse blank contamination:

No problems found for this qualification.

5. CALIBRATION:

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of giving acceptable performance at the beginning of an experimental sequence. The continuing calibration checks document that the instrument is giving satisfactory daily performance.

A) Percent Relative Standard Deviation (%RSD) and Percent Difference (%D):

For the PCB fraction, if %RSD exceeds 20% for all analytes and the two surrogates, qualify all associated positive results "J" and non-detects "UJ".

For opening CCV, or closing CCV that is used as an opening CCV for the next 12-hour period, if %D exceeds 15% for analytes and the two surrogates, qualify all associated positive results "J" and non-detects "UJ".

For closing CCV, if %D exceeds 50% for all analytes and the two surrogates, qualify all associated positive results "J" and non-detects "UJ".

The following analytes in the sample shown were qualified for %RSD and %D:

AC16-The following aroclor samples are associated with an opening and a closing CCV that are not analyzed at the correct frequency. Detected compounds are qualified J.

- **Aroclor-1254** B4HM9, B4HN0, B4HN1, B4HN2, B4HN3, B4HN4, B4HN6, B4HN6MS, B4HN6MSD, B4HN7, B4HN8, B4HN9, B4HP0, B4HP1, B4HP2, B4HP3, B4HP4, B4HP5, B4HP6, B4HP7, B4HP8
- 6. COMPOUND IDENTIFICATION:
- A) PCB Fraction:

The retention times of reported compounds must fall within the calculated retention time windows for the two chromatographic columns and a GC/MS confirmation is required if the concentration exceeds 10ng/ml in the final sample extract.

ADL312-The following aroclor samples have percent differences between analyte results in the range of 26-70%. Detected compounds are qualified J.

QUALIFIED J:

- Aroclor-1254 B4HM9DL, B4HN2, B4HP5DL

ADL322-The following aroclor samples have percent differences between analyte results in the range of 71-100%.

QUALIFIED J:

- Aroclor-1254 B4HN6RE, B4HP7DL, B4HP8DL

ADL352-The following aroclor samples have percent differences between analyte results in the range of 101-200%.

QUALIFIED J:

- Aroclor-1254 B4HN2RE, B4HP6RE
- 7. CONTRACT PROBLEMS NON-COMPLIANCE:
- 8. FIELD DOCUMENTATION:
- 9. OTHER PROBLEMS:
- 10. This package contains re-extracted, re-analyzed or dilution runs. Upon reviewing the QA results, the following Form 1(s) are identified NOT to be used.

B4HM9DL, B4HN0DL, B4HN1DL, B4HN2DL, B4HN4DL, B4HN6, B4HN7DL, B4HN8DL, B4HN9DL, B4HP1DL, B4HP2DL, B4HP2DL, B4HP4DL, B4HP5DL, B4HP6, B4HP7DL, B4HP8DL

SOP HW-37 Revision 1 August 2007

SOP NO. HW-37/Aroclor Validation of Data USEPA Contract Laboratory Program Statement of Work for Organic Analysis of Low/Medium Concentration of Aroclor Organic Compounds SOM01.2




TABLE OF CONTENTS

INTR	_	CTION	1
•	Sc	ope and Applicability	<u>1</u>
		mmary	1
	Dat	F2 ()112 1 F1 0×0	1
٠	Lal	b Qualifiers	<u>2</u>
	Re	viewer Qualifications	<u>2</u>
PACK	AGE	COMPLETENESS AND DELIVERABLES	<u>3</u>
,	1.	Chain of Custody and Sampling Trip Reports	<u>3</u>
	2.	Data Completeness and Deliverables	<u>3</u> .
•		Cover Letter SDG Narrative	Ŧ
	4.	<u>Data Validation Checklist</u>	2
ייים גע	λ.	VOA ANALYSES	-
PARI			2
		Sample Conditions/Problems	
			2
	3	Desterated Monitoring Compound (DMC) Bogorrows (Form II)	-
	3. ⊿	Deuterated Monitoring Compound (DMC) Recovery (Form II)	5
	4.	Matrix Spike/Matrix Spike Duplicate Recovery (Form III) 8	<u>5</u>
	4. 5.	Matrix Spike/Matrix Spike Duplicate Recovery (Form III) 8 Method Blanks (Form IV)	3
	4. 5. 6.	Matrix Spike/Matrix Spike Duplicate Recovery (Form III) 8 Method Blanks (Form IV)	3
	4. 5. 6. 7.	Matrix Spike/Matrix Spike Duplicate Recovery (Form III) 8 Method Blanks (Form IV)	
	4. 5. 6. 7. 8.	Matrix Spike/Matrix Spike Duplicate Recovery (Form III) 8 Method Blanks (Form IV)	
	4. 5. 6. 7. 8.	Matrix Spike/Matrix Spike Duplicate Recovery (Form III) 8 Method Blanks (Form IV)	
	4. 5. 6. 7. 8. 9.	Matrix Spike/Matrix Spike Duplicate Recovery (Form III) 8 Method Blanks (Form IV)	
	4. 5. 6. 7. 8. 9. 10.	Matrix Spike/Matrix Spike Duplicate Recovery (Form III) 8 Method Blanks (Form IV)	
	4. 5. 6. 7. 8. 9. 10. 11.	Matrix Spike/Matrix Spike Duplicate Recovery (Form III)Method Blanks (Form IV)9Contamination10Aroclor Initial and Continuing Calibration12Analytical Sequence Check (Form VIII)16Sulfuric acid and GPC Cleanup16Laboratory Control Sample17Aroclor Identification18Target Pesticide List (TCL)2	
	4. 5. 6. 7. 8. 9. 10. 11. 12.	Matrix Spike/Matrix Spike Duplicate Recovery (Form III) 8 Method Blanks (Form IV)	
	4. 5. 6. 7. 8. 9. 10. 11. 12.	Matrix Spike/Matrix Spike Duplicate Recovery (Form III) 8 Method Blanks (Form IV)	
	4. 5. 6. 7. 8. 9. 10. 11. 12.	Matrix Spike/Matrix Spike Duplicate Recovery (Form III) 8 Method Blanks (Form IV)	
	4. 5. 6. 7. 8. 9. 10. 11. 13. 14.	Matrix Spike/Matrix Spike Duplicate Recovery (Form III) 8 Method Blanks (Form IV)	002
	4. 5. 6. 7. 8. 9. 10. 11. 13. 14.	Matrix Spike/Matrix Spike Duplicate Recovery (Form III) & Method Blanks (Form IV)	002
٠,	4. 5. 6. 7. 8. 9. 10. 11. 13. 14.	Matrix Spike/Matrix Spike Duplicate Recovery (Form III) & Method Blanks (Form IV)	002 3

INTRODUCTION

Scope and Applicability

This SOP offers detailed guidance in evaluating laboratory data generated according to the method in the "USEPA Contract Laboratory Program Statement of Work for Organics Analysis Multi-Media, Multi-Concentration, SOM01.2, February 2007". The validation procedures and actions discussed in this document are based on the requirements set forth in the "USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review, July 2007". This document attempts to cover technical problems specific to low/Medium concentration of Aroclor compounds. Situations may arise where data limitations must be assessed based on the reviewer's own professional judgement.

In addition to technical requirements, contractual requirements may also be covered in this document. While it is important that instances of contract non-compliance be addressed in the Data Assessment, the technical criteria are always used to qualify the analytical data.

Summary

To ensure a thorough evaluation of each result in a data case, the reviewer must complete the checklist within this SOP, answering specific questions while performing the prescribed "ACTIONS" in each section. Qualifiers (or flags) are applied to questionable or unusable results as instructed. The data qualifiers discussed in this document are as follows:

Data Qualifiers

- U The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
- J The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
- N The analysis indicates the presence of an analyte for which there is presumptive evidence to make a "tentative identification."
- JN The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.

- The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
- R The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.

Lab Qualifiers:

- D The positive value is the result of an analysis at a secondary dilution factor.
- B The analyte is present in the associated method blank as well as in the sample. This qualifier has a different meaning when validating inorganic data.
- E The concentration of this analyte exceeds the calibration range of the instrument.
- P Pesticide/Aroclor target analytes when the % Difference between the analyte concentrations obtained from the two dissimilar GC columns is greater than 25%.

The reviewer must prepare a detailed data assessment to be submitted along with the completed SOP checklist. The Data Assessment must list all data qualifications, reasons for qualifications, instances of missing data and contract non-compliance.

Reviewer Qualifications:

Data reviewers must possess a working knowledge of the USEPA Statement of Work SOM01.2 and National Functional Guidelines mentioned above.

USEPA Region II Method: CLP/SOW, SOM01.2/Aroclor

Date: August 2007 SOP HW-37/Aroclor, Revision 1

YES NO N/A

PACKAGE COMPLETENESS AND DELIVERABLES

,	PACKAGE COMPLETENESS AND DELIVERABLES
CA	ASE NUMBER: 37088 LAB: SHEALY.
SI	TE NAME: CORNECL DUBILIER. SDG NO(8) .: BYHP9 BYHM9 4
1.0	Chain of Custody and Sampling Trip Reports
	1.1 Are the Traffic Reports/Chain-of-Custody Records present for all samples?
	ACTION: If no, contact RSCC, or the TOPO to obtain replacement of missing or illegible copies from the lab.
	1.2 Is the Sampling Trip Report present for all samples?
	ACTION: If no, contact either RSCC or ask the TOPO to obtain the necessary information from the prime contractor.
. 0	Data Completeness and Deliverables
	Data Completeness and Deliverables
	2.1 Have any missing deliverables been received and added to the data package?
	ACTION: Contact the TOPO to obtain an explanation or resubmittal of any missing deliverables from the lab. If lab cannot provide them, note the effect on the review of the data package in the Contract Problems/Non-compliance section of the Data Assessment.
	2.2 Was SMO/CLASS CCS checklist included with the package?

USEPA Region II Method: CLP/SOW, SOM01.2/Aroclor

Date: August 2007 SOP HW-37/Aroclor, Revision 1

YES NO N/A

2.3	Are there any discrepancies between the Traffic	
	Reports/Chain-of-Custody Records, and Sampling	
	Trip Report?	[]
3 COLLO	N TS	Contraction .

ACTION: If yes, contact the TOPO to obtain an explanation or resubmittal of any missing deliverables from the laboratory.

3.0 Cover Letter SDG Narrative

3.I	is the SDG Narrative or Cover Letter Present?		
3.2	Are case number, SDG number and contract number contained in the SDG Narrative or cover letter		
	(see SOW, Exhibit B, section 2.5.1)? EPA sample numbers in the SDG, detailed		
	documentation of any quality control, sample,		
	shipment, and/or analytical problems encountered in processing the samples? Corrective action		
	taken?	<u> </u>	
3.3	Does the Narrative contain the following information SOM01.1, page B-12, section 2.5.1)? column used, storage of samples, case#, SDG#,		
	analytical problems, and discrepancies between field and lab weights.	<u> </u>	-
3.5	Did the contractor record the temperature of the cooler on the Form DC-1, Item 9 - Cooler		
•	Temperature, and in the SDG Narrative?	17	
3.6	Does the Case Narrative contain the "verbatim"		
	statement (page B-12 section 2.5.1 of the SOM)?	1 1/	

ACTION:

If "No", to any question in this section, contact the TOPO to obtain necessary resubmittals. If unavailable, document under the Contract Problems/
Non-Compliance section of the Data Assessment.

USEPA Region II Method: CLP/SOW, SOM01.2/Aroclor Date: August 2007 SOP HW-37/Aroclor, Revision 1

YES NO N/A

4	Λ	Data	77274	dation	Checklist
4.	U	Data	vall	gation	Checklist

4.1	Check the package for the following (see SOM report requirements, section 2.1, page B-10):	orting	
	a. Is the package paginated in ascending order starting from the SDG narrative?	<u> </u>	
٠.	b. Are all forms and copies legible?	<u> </u>	_
•	c. Assembled in the order set forth in the SOW?	<u> </u>	-
	d. All Aroclor Data present?	ſν	

PART A: Low/Medium Aroclor Analyses

1.0 Sample Conditions/Problems

1.1 Do the Traffic Reports/Chain-of-Custody Records,
Sampling Trip Report or Lab Narrative indicate
any problems with sample receipt, condition of
samples, analytical problems or special
circumstances affecting the quality of the data?

ACTION: If samples were not iced or the ice was melted upon arrival at the laboratory and the temperature of the cooler was > 10° C, then flag all positive results with a "J" and all non-detects "UJ".

2.0 Holding Times

- 2.1 Have any Aroclor technical holding times, determined from date of collection to date of analysis, been exceeded?
- 2.2 Preservation: <u>Aqueous</u> and <u>Non-aqueous</u> samples must be cooled at $4 \,^{\circ}\text{C} \, \pm \, 2 \,^{\circ}\text{C}$.

USEPA Region II

Method: CLP/SOW, SOM01.2/Aroclor

Date: August 2007 SOP HW-37/Aroclor, Revision 1

YES NO N/A

ACTION: Qualify sample results according to the following table.

Holding Time Actions for Low/Medium Aroclor Analyses

			Acti	on
Matrix	Preserved	Criteria	Detected Associated Compounds	Non-Detected Associated Compounds
	No	<pre>< 7 days (extraction) < 40 days (analysis)</pre>	*ل	UJ*
Aqueous	No	> 7 days (extraction) > 40 days (analysis)	J	UJ
	Yes	<pre>≤ 7 days (extraction)</pre> ≤ 40 days (analysis)	No quali	fication
	Yes	> 7 days (extraction) > 40 days (analysis)	J	IJ
	Yes/No	> 28 Days (extraction)	J	R
	No	<pre>≤ 14 days (extraction) ≤ 40 days (analysis)</pre>	J*	UJ*
Non-aqueous	No	> 14 days (extraction) > 40 days (analysis)	J	IJ
	Yes	<pre>≤ 14 days (extraction) ≤ 40 days (analysis)</pre>	No qualif	ication
	Yes	> 14 days (extraction) > 40 days (analysis)	J	IJ
	Yes/No	> 28 Days (extraction)	J	R

^{*} Only if cooler temperature exceeds 10°C (see ACTION in Section 1.1 above). No action required if temperature \leq 10°C.

3.0 Surrogate Recovery (Form II ARO-1, Form II ARO-2, Form VIII ARO)

3.1 Are the Aroclor Recovery Summary Forms present?

ACTION: Contact the TOPO to obtain an explanation/resubmittal from the lab. If missing deliverables are unavailable, document the effect in the Data Assessment.

USEPA Region II Method: CLP/SOW, SOM01.2/Aroclor Date: August 2007 SOP HW-37/Aroclor, Revision 1

YES NO N/A

. :		
('	ere the two surrogates, tetrachloro-m-xylene TCX) and decachlorobiphenyl (DCB) added to all samples, S/MSD, LCS, blanks including standards?	ন্
ACTION	: If no, use professional judgment in qualifying data as missing surrogate analyte may not directly apply to target analytes.	
3.3	Were outliers marked with an asterisk on Form II?	TA — —
ACTION	: Circle all outliers with a red pencil.	
•	If yes, were effected samples re-analyzed?	щ — <u> </u>
3.4	The RTs of the surrogates in each mid-point Aroclor standards used for continuing calibration verification, all samples, including MS/MSD, LCS and all blanks must be within the calculated RT window. TCX must be within \pm 0.05 minutes and DCB must be within \pm 0.10 minutes of the mean retention time (RT) determined from the initial calibration and tabulated in Form VIII Pest.	
	Were any outliers marked with an asterisk on Form VIII ARO?	r v 1

ACTION:

Circle all outliers with a red <u>pencil</u>. If any Surrogate is outside the required limits, qualify their associated target compounds (See Table below) as follows:

Surrogate Compound Recovery Action for Aroclors

	Act	ion
Criteria	Detected Target Compounds	Non-Detected Target Compounds
%R > 200%	J	No qualification
150% < %R ≤ 200%	J	No qualification
30% <u><</u> %R <u><</u> 150%	No qualif	ication
10% < %R < 30%	J	UJ
%R < 10% (sample dilution not a factor)	J	R
%R < 10% (sample dilution is a factor)	J	Use Professional Judgement
RT out of RT window	Use profession	<u> </u>
RT within RT window	No qualif	

USEPA Region II Method: CLP/SOW, SOM01.2/Aroclor

Date: August 2007 SOP HW-37/Aroclor, Revision 1

YES NO N/A

Note: Blank analysis having surrogates out of specification:

The reviewer must give special consideration to the validity of associated samples. Basic concern is whether the blank problems represent an isolated problem with the blank alone or whether there is a fundamental problem with the analytical process. For example, if one or more samples in the batch show acceptable surrogate recoveries, the reviewer may choose to consider the blank problem to be an isolated occurrence.

ACTION: Note in the Data Assessment under Contract Problems/ Non-Compliance if the Lab did not perform reanalysis and reviewer's judgment regarding blank problem.

3.5 Are there any transcription/calculation errors between raw data and Form IIs?

ACTION: If large errors exist, ask the TOPO to obtain an explanation/resubmittal from the lab, make any necessary corrections and note errors in the data assessment.

4.0 Matrix Spike/Matrix Spike Duplicate Recovery (Form III)

Note: Data for MS/MSD will not be present unless requested.

- 4.1 Are the MS/MSD Recovery Forms (Form III ARO) present? [1]
- 4.2 Was the MS/MSD analyzed at the required frequency (once per SDG, or every 20 samples, whichever is more frequent)?

ACTION: If any MS/MSD data are missing, take action as specified in section 3.1 above.

ACTION: No action is taken on MS/MSD data <u>alone</u>. However, using professional judgement, the validator may use the MS and MSD results in conjunction with other QC criteria and determine the need for some qualification of the data. If Any MS/MSD % recovery or RPD is out of specification, qualify data to include the consideration of the existence of interference in the raw data. Consideration include, but not limited to the following "Action":

Matrix Spike/Matrix Spike Duplicate Action for Aroclor

		Action
Criteria	Detected Spike Compounds	Non-detected Spike Compounds
%R or RPD > Upper Acceptance Limit	J	No qualification
20% ≤ %R < Lower Acceptance Limit	J	UJ

USEPA Region II Method: CLP/SOW, SOM01.2/Aroclor

Date: August 2007 SOP HW-37/Aroclor, Revision 1

> YES NO N/A

%R < 20%		J		Use professioan judgement
Lower Acceptance Limit <	<u>.</u> %R;		No quali	fication
RPD ≤ Upper Acceptance I	imit			

Note: If it can be determined that the results of the MS/MSD affects only the sample spiked, limit qualification to only this sample. However, use professional judgment when it is determined through the MS/MSD results that the laboratory is having systematic problem in the analysis of one or more analytes that affect all associated samples.

0	Blanks (Form IV)			
	5.1	Is the Aroclor Method Blank Summary (Form IV ARO) present for aqueous and soil samples?	M	· · · · · ·	·
.÷.	5.2	Frequency of Analysis: For the analysis of AROCLOR, has a method blank been analyzed for each SDG or every 20 samples, whichever is more frequent?	짂	·	
	ACTION	: If any blank data are missing, take action as specified above in section 3.1. If blank data is not available, reject "R" all associated positive data. However, using professional judgement, the data reviewer may substitute field blank data for missing method blank data.			
	5.3	A separate Form IV should be present if part of an extraction batch required sulfur removal. In such cases some samples will be listed on two blank summary forms once under the method blank, and once under the sulfur clean-up blank (PCBLK). Was this additional blank raw data and Form IV submitted when required?	τī		<u> </u>
	ACTION	: If Form IV sulfur clean-up blank is missing, take action as specified in section 3.1 above.			
	5.4	Has a Aroclor instrument blank been analyzed at the beginning of every 12 hr. period following the initial calibration sequence (minimum contract requirement)?	· <u>r</u> î		· .
	ACTION	If any blank data are missing, take action specified in Section 3.1. INSTRUMENT BLANK IS MISSING FOR SDG & GHK & Was the correct identification scheme used for all Aroclor blanks? (See page B-39, section 3.3.7.3 of SOM01.1 for further information)	9.		
			-1/2-1 -		<u> </u>

Contact the TOPO to obtain resubmittals or make the required corrections on the forms.

USEPA Region II Method: CLP/SOW, SOM01.2/Aroclor

Date: August 2007 SOP HW-37/Aroclor, Revision 1

YES NO N/A

Document in the Data Assessment under Contract Problems/Non-Compliance all corrections made by the validator.

5.6 <u>Chromatography</u>: Review the blank raw data chromatogram, quant. Reports and data system printout. Is the chromatographic performance (baseline stability) acceptable for each instrument?

5h 2/1/08

ACTION: Use professional judgement to determine the effect on the data.

5.7 Are all detected hits for target compounds in method, and field blanks less than the CRQL?

<u>гд ______</u>

ACTION: IF no, an explanation and laboratory's corrective actions must be addressed in the case SDG narrative. Contact TOPO to request from Lab. revised narrative and make a note in the Contract Problems/Non-Compliance section of the Data Assessment.

6.0 Contamination

NOTE: "Water blanks", "drill blanks", and distilled water blanks" are validated like any other sample, and are <u>not</u> used to qualify data. Do not confuse them with the other QC blanks discussed below.

Do any method/reagent or cleanup blanks contain positive hits for target Aroclor compounds with values greater than the CRQL for that analyte?

Note: The concentration of each target compound in the instrument blank must be less than the CRQL for that analyte.

ACTION: Make note in data assessment under Contract Problems/Non-Compliance if any blank contains hit above the CRQLs.

Do any instrument blanks contain positive Aroclor results with values greater than CRQLs?

SA2/12 (08

ACTION: Take the action specified in section 6.1.

6.3 Do any field/rinse blanks have positive Aroclor results?

_ 4 _

NOTE: All field blank results associated with a particular group of samples (may exceed one per case) must be used to qualify data. Blanks may not be qualified because of contamination in another blank. Field blanks must be qualified for system monitoring compound, instrument performance criteria, spectral or calibration QC problems.

ACTION: Follow the directions in the table below to qualify results due to contamination. Use the largest value from all the associated

USEPA Region II Method: CLP/SOW, SOM01.2/Aroclor

Date: August 2007 SOP HW-37/Aroclor, Revision 1

YES NO N/A

blanks. If any blanks are grossly contaminated, all associated sample data should be qualified unusable (R).

Blank Action for Aroclor Analyses

Blank Type	Blank Result	Sample Result	Action for Samples
	Detects	Not detected	No qualification required
	< CRQL	< CRQL	Report CRQL value with a U
		≥ CRQL	No qualification required
	= CRQL	< CRQL	Report CRQL value with a U
Method, Field,		≥ CRQL	No qualification required
Sulfur Cleanup,		< CRQL	Report CRQL value with a U
Instrument	> CRQL	≥ CRQL and < blank contamination	Report concentration of sample with a U
		≥ CRQL and ≥ blank contamination	No qualification required
	Gross contamination	Detects	Qualify results as unusable R

NOTE: Analytes qualified "U" for blank contamination are treated as "hits" when qualifying for calibration criteria.

Note: When applied as described in the table above, the contaminant concentration in the blank are multiplied by the sample dilution factor.

6.4 Are there field/rinse/equipment blanks associated with every sample?

ACTION: Note in data assessment if there's no associated field/rinse/equipment blank.

Exception: samples taken from a drinking water tap do not have associated field blanks.

7.0 Aroclor Initial and Continuing Calibration

- 7.1 Are the following Forms, chromatograms and data system printouts present?
 - a.) Form VI ARO-1/Aroclor Initial Calibration (Multipoint)

USEPA Region II			
Method: CLP/SOW,	SOM01.2/Aroclor	•	

Date: August 2007 SOP HW-37/Aroclor, Revision 1

		YES	NO	N/A
b.)	Form VI ARO-2/Aroclor Initial Calibration (Multipoint)	ास्		
c.)	Form VI ARO-3/Aroclor Initial Calibration(Singlepoint)	ार्		
d.)	Form VII ARO/Aroclor Calibration Verification	11	· ·	,
e.)	Form VIII ARO/Aroclor Analytical Sequence	ΓX		· <u>· · · · · · · · · · · · · · · · · · </u>
f.)	Form X ARO/Identification Summary for Multicomponent Analysis	14		_
Ini	tial Calibration			
7.2	.1 Was the following contract required initial calibration sequence provided by the laboratory?	[½ -		

	Initial Calibration Sequence
1.	Aroclor 1221 CS3 (400ng/ml)
2.	Aroclor 1232 CS3 (400 ng/ml)
3.	Aroclor 1242 CS3 (400 ng/ml)
4.	Aroclor 1248 CS3 (400 ng/ml)
5.	Aroclor 1254 CS3 (400 ng/ml)
6.	Aroclor 1262 CS3 (400 ng/ml)
7.	Aroclor 1268 CS3 (400 ng/ml)
8.	Aroclor1016/1260 (100 ng/ml) CS1
9.	Aroclor1016/1260 (200 ng/ml) CS1
10.	Aroclor1016/1260 (400 ng/ml) CS1
11.	Aroclor1016/1260 (800 ng/ml) CS1
12.	Aroclor1016/1260 (1600 ng/ml) CS1
13.	Instrument Blank

ACTION:	If initial calibration is not performed or not performed in the proper sequence, notify the TOPO and make a note in the data assessment.	
7.3	Are there any transcription/calculation errors between raw data and the Forms?	

ACTION: If large errors exist, take action specified in section 3.1 above.

USEPA Region II

Date: August 2007 SOP HW-37/Aroclor, Revision 1 Method: CLP/SOW, SOM01.2/Aroclor

> NO N/A YES

7.4 Mean Retention Time (RT) and RT Window	
Were the following mean RT and RT window met:	নে — —
a.) The mean RT of each of the three to five major peaks were determined from the five-point initial calibration for all Aroclors	
b.) RT window was calculated as \pm 0.07 for each of the three to five major peaks and \pm 0.05 and \pm 0.10 for the surrogates tetrachloro-m-xylene and decachlorobiphenyl, respectively.	
ACTION: If no, follow the action as specified in section 3.1.	
7.5 Was at least one chromatogram from each of the Aroclor standards yield peaks that give deflection between 50-100% of full scale?	吋 — —
ACTION: IF no, take action as specified in section 3.1.	
7.6 Was the mean Calibration Factor (CF) calculated for the three to five major peaks of each Aroclor, as well as for the surrogates, over the initial calibration range?	ार — —
7.7 Were the Percent Relative Standard Deviation (%RSD) of the Calibration Factor for the three to five major peaks < 20% of each of the Aroclor compounds and surrogates?	<u> </u>

ACTION: If no, take action as specified in the following Table.

Initial Calibration Action for Aroclor Analyses

	Action	
Criteria	Detected Non-Detected Associated Compounds Associated Compound	
Initial calibration is not performed or not performed in proper sequence	Use Professional Judgment and notify Contract Lab Program (CLP) Project Officer	
%RSD exceeds allowable limits *	דט די	
%RSD within allowable limits *	No qualification	

RSD < 20.0% for Aroclors and surrogates (tetrachloro-m-xylene and decachlorobiphenyl.

7.8 Continuing Calibration Verification (CCV) (Form VII)

Were the Absolute Retention Time (RT) for each Aroclor and surrogate in the mid-point concentration (CS3) of

USEPA Region II Method: CLP/SOW, SOM01.2/Aroclor

Date: August 2007 SOP HW-37/Aroclor, Revision 1

YES NO N/A

the Standard used for CCV must be within the RT window determined from the initial calibration?

- 7.9 For opening CCV, or closing CCV that is used as an opening CCV for the next 12-hour period, the Percent Difference (%D) between the CF of each of the three to five peaks used to identify an Aroclor and surrogates in the mid-point concentration (CS3) of the Aroclor standards and the CF from the initial calibration must be within +15.0%.
- 7.10 For a closing CCV, the %D between the CF of each of the three to five peaks used to identify an Aroclor and surrogates in the mid-point concentration (CS3) of the Aroclor standards and the CF from the initial calibration must be within ±50.0%.
- 7.11 No more than 14 hours may elapse from the injection of the instrument Blank that begins an analytical sequence (opening CCV) and the injection of the last mid-point concentration (CS3) of the Aroclor standards that ends an analytical sequence (closing CCV).
- 7.12 No more than 12 hours may elapse from the injection of the instrument blank that begins an analytical sequence (opening CCV and the injection of the last sample or blank that is part of the same analytical sequence.

Were sections 7.8 to 7.12 met?

Avoid 1260 DID NOT MEET OPENING ECV CRITERIA FOR SDG # B4HP9

ACTION: If no, use the following table to qualify Aroclor data:

SDUB BYHMG > Aroclon-1254 - OPENING & CLOSING CCV WAS NOT ANALYZED FOR INITIAL CONTINUING Calibration Verification (CCV) Action for Aroclor Analyses SET OF ANALYSE SOLD BYHKG > AROLLOR 1254 1 1248 > OPENING & CLOSING CCV) WERE NOT

	ANALYZED TOR (NITTIAL SET OF A		
Criteria	Detected Associated Compounds	Non-Detected Associated Compounds	
RT out of RT Window	Use professional Judgment *		
Percent Difference not within limits \pm 15% as specified in section 7.9 above	J	ບັນ	
Percent Difference not within limits \pm 50% as specified in section 7.10 above	J	UJ	
Time elapsed is greater than acceptable limits as specified in section 7.11 & 7.12 above		R	
Percent Difference, time elapsed and RT are within acceptable limits	No qualification		

USEPA Region II Method: CLP/SOW, SOM01.2/Aroclor Date: August 2007 SOP HW-37/Aroclor, Revision 1

YES NO N/A

* For <u>non-detected</u> target compounds in the affected samples, check to see if the sample chromatogram contain any peak that are close to the expected RT window of the Aroclor of interest.

If no peaks are present, consider the non-detected values to be valid and no qualification of the data is necessary.

If any peaks are present close to the expected RT window of the Aroclor of interest, qualify the non-detected values as presumptively present "N".

For <u>detected compounds</u> in the affected samples, if the peaks are within the RT window, no qualification of the data is necessary. If the peaks are close to the expected RT window of the Aroclors of interest, the reviewer may take additional effort to determine if sample peaks represent the compound of interest.

For example, the reviewer can examine the data package for the presence of three or more standards containing the Aroclor of interest that were run within the analytical sequence during which the sample was analyzed. If three or more such standards are present, the RT window can be re-evaluated using the mean RT of the standards.

If the peaks in the affected sample fall within the revised window, qualify the detected Aroclor as "JN".

If the reviewer cannot do anything with the data to resolve the problem of concern, qualify all non-detects as unuseable "R".

8.0 Analytical Sequence Check (Form VIII-ARO)

8.1 Is Form VIII-Pest present and complete for each column and each period of analyses?	ात् — —
ACTION: If no, take action as specified in section 3.1	
8.2 Was the proper analytical sequence followed for each initial calibration and subsequent analyses, and all standards analyzed at the required frequency for each GC/ECD instrument used?	14 <u> </u>
ACTION: If no, use professional judgment to determine the severity of the effect on the data and qualify	

8.3 Are the surrogate retention time (RT) from the initial calibration for TCX and DCB provided on Form VIII-Pest?

the calibration was out of QC limits.

accordingly. Generally, the effect is negligible unless the sequence was grossly altered and/or

M _ _

USEPA Region II Method: CLP/SOW, SOM01.2/Aroclor

Date: August 2007 SOP HW-37/Aroclor, Revision 1

YES NO N/A

ACTION: If no, take action as specified in section 3.1

8.4 Was the asterisk (*) applied to the RT of any blanks, samples, standards, MS/MSD, and LCS that did not meet the QC Limits of ± 0.05 minutes for TCX (tetrachloro-m-xylene) and ± 0.10 minutes for DCB (decachlorobiphenyl)?

ACTION: If any data are missing, take action specified in 3.1 above.

If no, use professional judgment to determine the severity of the effect on the data and qualify accordingly. Document in the data assessment under Contract Problems/Non-Compliance.

9.0 Sulfuric Acid and Gel Permeation Chromatography (GPC) Cleanup Procedures

9.1 Was sulfuric acid added to all extracts?

Note: Sulfuric acid cleanup is mandatory for all extracts

ACTION: If no, take action specified in section 3.1

9.2 Gel Permeation Chromatography (GPC

GPC is an optional cleanup procedure for both aqueous and non-aqueous samples that contain high molecular weight compounds that interfere with Aroclor analysis.

- 9.3 If GPC cleanup was performed on samples, GPC calibration is acceptable if the two UV traces meet the following requirements.
 - a. Peaks must be observed and should be symmetrical for all compounds in the calibration solution.
 - b. Corn oil and phthalate peaks should exhibit greater than 85% resolution.
 - c. The phthalate and Methoxychlor peaks should exhibit greater than 85% resolution.
 - d. Methoxychlor and perylene peaks should exhibit greater than 85% resolution.
 - e. Perylene and sulfur peaks must be saturated and should exhibit greater than 90% baseline resolution.

USEPA Region II

Method: CLP/SOW, SOM01.2/Aroclor

Date: August 2007

SOP HW-37/Aroclor, Revision 1

YES NO N/A

f. The RT shift is less than 5% between UV traces for bis(2-ethylhexylphthalate and perylene.

9.4 Were all above criteria met?

ACTION:

If no, examine the raw data for the presence of high molecular weight contaminants. Examine the subsequent sample data for unusual peaks and use professional judgment in qualifying the data.

10.0 Laboratory Control Samples (LCSs)

10.1 LCSs provide information on the accuracy of the analytical method and laboratory performance.

Aroclor Laboratory Control Sample Recovery - Aqueous and Non-Aqueous

Compound	% Recovery QC Limits	
Aroclor 1016	50 - 150	
Aroclor 1260	50 - 150	
Tetrachloro-m-xylene (surrogate)	30 - 150	
Decachlorobiphenyl (surrogate)	30 - 150	

10.2 Were the above recoveries met?

Anollow 260 was Above Limits IN SDG # BUHP9

ACTION: If no, qualify the sample data as follows:

Criteria

Detected Non-Detected Associated Compound

RR> Upper Acceptance Limit

J

No qualification

RCTION

No qualification

R

Lower Acceptance Limit

V

No qualification

R

USEPA Region II Method: CLP/SOW, SOM01.2/Aroclor

Date: August 2007 SOP HW-37/Aroclor, Revision 1

YES NO N/A

11.0 <u>Aroclor Identification</u> (Form X ARO/Identification Summary for Multicomponent Analysis

11.1 Is Form X (ARO) complete for Aroclor was detected?	every sample in which	<u> 1</u>
ACTION: Take action as specified in		

- 11.2 The identification of a Multi component Aroclor by GC method is based primarily on RT data and pattern recognition. Were the following requirements met:
- a.) A Minimum of 3 major peaks were selected for each Aroclor. If more than one Aroclor is observed in a sample, a peak common to other Aroclor(s) must not be used to quantitate other Aroclor. Lab must choose different peaks to quantitate each Aroclor.
- b.) If a chromatogram is replotted electronically to meet these requirements, the scaling factor used must be displayed on the chromatogram, and both the initial chromatogram and the replotted chromatogram must be submitted in the data package.
- c.) The Retention Time (RT) of both of the surrogates and reported target compounds must be within the calculated RT window of both columns.
- d.) When no analytes are identified in the sample, the chromatograms of the sample extract must use the same scaling factor used for the low-point standard of the initial calibration associated with those samples.
- e.) Chromatogram must display the largest peak of any Aroclor detected in the sample at less than full scale.
- f.) If an extract must be diluted, chromatograms must display Aroclor peaks between 25-100% of full scale.
- ACTION: If retention times (RT) or peak apex cannot be verified, contact TOPO to obtain rescaled chromatograms from the lab.

If data reviewer identifies a peak in both GC columns that fall within the appropriate RT windows, but was reported as

USEPA Region II Method: CLP/SOW, SOM01.2/Aroclor Date: August 2007 SOP HW-37/Aroclor, Revision 1

YES NO N/A

non-detect,	the	com	pound	l ma	y be	fals	e	negativ	e.	If
necessary,	conta	ct	TOPO	to	insti	cuct	la	borator	y to	re-
evaluate th	e chr	oma	togra	ims .						

11.3 Are there any transcription/calculation errors in Form I and Form X ARO?

ACTION: Take action as specified in section 3.1 above.

- 11.4 Are the RTs of Aroclor peaks within the established RT window for analyses on both columns?
- 11.5 Was the GC/MS confirmation provided for Aroclor concentration > 10 ug/ml in final extract?

NOTE: Laboratory is required to contact SMO to determine if GC/MS confirmation is required. Check the semivolatile TIC data for presence of Aroclors.

11.6 Is the per cent difference (%D) calculated for positive results on both columns < 25%?

	. /	
гэ		
		

Action: Reviewer must check columns for peak interferences for the positive hits. Qualify the Arclor (s) according to the following Table:

Action on Qualifying Positive Aroclor Results

Percent Differences	Qualifier
0 - 25%	None
26 - 70%	\ Ј″
71 - 100%	"JN"
101 - 200% (No Peak Interferences)	"R"
101 - 200% (Interferences detected)*	"JN"

USEPA Region II Method: CLP/SOW, SOM01.2/Aroclor

Date: August 2007 SOP HW-37/Aroclor, Revision 1

YES NO N/A

> 50% (Aroclor value < CRQL)**	"U"
> 200%		"R"

- * When interferences is detected on either column, qualify the data as "JN"
- ** When the Aroclor value is below CRQL and %D > 50%, raise the value to CRQL and qualify "U", undetected.
- 12.0 Target Aroclor List (TCL)
- 12.1 Are the Aroclor Analysis Data Sheets (Form I ARO) present with required header information on each page for samples, MS/MSD (if required), method and instrument blanks (per column & analysis)?

TA ____

12.2 Is the chromatographic performance acceptable with respect to baseline stability, full-scale attenuation, peak shape/resolution?

* TA ____

SOME SAMPLES WERE NOT ACCEPTIBLE SPECIALLY ON THE ACTION: If no, take action specified in section 3.1 above. SETONDARY COLUMN

- 13.0 Compound Quantitation and Reported Detection Limits
 - 13.1 Are there any transcription/calculation errors in the Form I results? Check at least two positive results. Were any errors found?

ACTION: If errors were found, take action as specified in section 3.1 above.

13.2 Are the contract required quantitation limits (CRQL) adjusted to reflect sample dilution?

ц _ _

ACTION: If errors exist, take action as specified in section 3.1 above.

ACTION: When a sample is required to be diluted, the lowest CRQL is used (unless a QC exceedance dictates the use of the higher CRQL from the diluted sample). Replace concentration which exceed the calibration range in the original analysis by crossing out the "E" value on the original Form I and substituting it with the result from the diluted sample. Specify which Form I to use.

USEPA Region II Method: CLP/SOW, SOM01.2/Aroclor Date: August 2007 SOP HW-37/Aroclor, Revision 1

YES NO N/A

Use a red pencil and draw a red "X" across the entire page of all Form I's that should not be used, including those in the data summary package.

At the top or bottom of the Forms, write with red pencil, "DO Not Use".

Note: If the sample dilution factor (DF) is greater than 10, an additional 10 times more concentrated than the diluted sample extract must be analyzed and reported with the sample data. If the DF is less or equal to 10, but greater than 1, the results of the original undiluted analysis must also be reported (see SOM01.1/section 10.3.3.4/page D-44/ARO).

ACTION: IF the above requirement was not met, contact the TOPO to obtain an explanation/resubmittal from the lab and make a note in the Data Assessment under Contract Problems/Non-Compliance section.

13.3 For non-aqueous samples, were the percent moisture < 70%?

Action: If the % moisture \geq 70.0% and < 90.0%, qualify detects as "J" and non-detects as approximated "UJ" If the % Moisture \geq 90%, qualify detects as "J" and non-detects as "R"

14.0 Field Duplicates

14.1 Were any field duplicates submitted for Aroclor analysis?

ACTION: Compare the reported results for field duplicates and calculate the relative percent difference.

ACTION: Any gross variation between duplicate results must be addressed in the reviewer narrative. If large differences exist, contact the TOPO to confirm identification of field duplicates with the sampler.

USEPA Region II

Method: CLP/SOW, SOM01.2/Aroclor

Date: August 2007

SOP HW-37/Aroclor, Revision 1

YES NO N/A

USEPA Region II

Method: CLP/SOW, SOM01.2/Aroclor

Date: August 2007

SOP HW-37/Aroclor, Revision 1

YES NO N/A

Definitions

ARO - Aroclor

CCS - contract compliance screening

CF - Calibration Factor

CLASS - Contract Laboratory Analytical Services Support

CLP - Contract Laboratory Program

CRQL - Contract Required Quantitation Limit

GC/ECD - Gas Chromatography/Electron Capture Detector

kg - kilogram

µg - microgram ℓ - liter

ml - milliliter

QC - quality control

RAS - Routine Analytical Services

RPD - Relative Percent Difference

RRF - Relative Response Factor

RRF - Average Relative Response Factor (from initial

calibration)

RRT - Relative Retention Time

RSD - Relative Standard Deviation

RT - Retention Time

RSCC - Regional Sample Control Center

SDG - Sample Delivery Group

SOP - standard operating procedure

SOW - Statement of Work

TCL - Target Compound List

TCLP - Toxicity Characteristics Leachate Procedure

TIC - Tentatively Identified Compound

TPO - Technical Project Officer

VTSR - Validated Time of Sample Receipt

TOPO - Task Order Project Officer

USEPA Region II

Method: CLP/SOW, SOM01.2/Aroclor

Date: August 2007

SOP HW-37/Aroclor, Revision 1

YES NO N/A

References

 USEPA Contract Laboratory Program of Work for Organic Analysis Multi-Media, Multi-Concentration, SOW/CLP/SOM01.2, February 2007.

2. National Functional Guidelines for Superfund Organic Methods Data Review July 2007.

Shealy Environmental Services, Inc.

Contract Number: EPW05031 Date: 12/31/2007 RECEIVED

JAN 0.7 2008

HAZ. WASTE SUPPORT SEC

SDG Narrative

Case 37088 SDG B4HM9

EPA Sample Numbers

EPA Sample	Aroclor	Dilution/
Number	Fraction	Reanalysis
B4HM9	Yes	Yes
B4HN0	Yes	Yes
B4HN1	Yes	Yes
B4HN2	Yes	Yes
B4HN3	Yes	Yes
B4HN4	Yes	Yes
B4HN5	Yes	No
B4HN6	Yes	Yes
B4HN6MS	Yes	No
B4HN6MSD	Yes	No
B4HN7	Yes	Yes
B4HN8	Yes	Yes
B4HN9	Yes	Yes
B4HP0	Yes	Yes
B4HP1	Yes	Yes
B4HP2	Yes	Yes
B4HP3	Yes	Yes
B4HP4	Yes	Yes
B4HP5	Yes	Yes
B4HP6	Yes	Yes
B4HP7	Yes	Yes
B4HP8	Yes	Yes

Columns

	Aroclor #2 DB-35MS 30m x 0.32mm x 0.25um
PEST/Aroclor Equation	
•	Soil sample concentration ($10/K_0$) = $\frac{(Ax)(V_t)(DF)(GPC)}{(Ax)(V_t)(DF)(GPC)}$
	Soil sample concentration (ug/Kg) = $\frac{(Ak)(V)(DY)(OFC)}{(CFC)(CFC)}$
\	$(CF)(V_i)(W_s)(D)$
	Where
•	A _x is the response (peak area) of the compound to be measured.
	CF is the mean calibration factor from the initial calibration (area/ng).
•	DF is the dilution factor.
	$GPC = V_{in}/V_{out}$: GPC factor.
	V _{in} is the volume of extract loaded onto GPC column.
	V _{out} is the volume of extract collected after GPC cleanup.
	V_t is volume of the concentrated extract in uL. (If no GPC cleanup is performed, then $V_t = 1000$ uL. If GPC cleanup is
	performed, then $V_i = V_{out}$.). V_i is the volume of the extract injected in uL.
	W, is the weight of sample extracted in g
	100 – %Moisture
	D=
	100
	<u> </u>

Aroclor #1 DB-XLB 30m x 0.32mm x 0.50um

Sample Receiving

The cooler temperature associated with these samples was 4.2°C.

Aroclor Fraction

All samples in the SDG were extracted by the Automated Solvent Extractor (ASE). To ensure proper extraction, approximately 15 grams of sample were used for extraction. The final volume of the extract was brought to 5mL, instead of 10mL, so the CRQLs remain the same.

I certify that this Sample Data Package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy Sample Data Package and in the electronic data deliverable has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Robert Zhú

Technical Director

Shealy Environmental Services, Inc. Contract Number: EPW05031

Date: 12/31/2007

RECEIVED HAZ. WASTE SUPPORT SEC

SDG Narrative

Case 37088 SDG B4HK9

EPA Sample Numbers

EPA Sample	Aroclor	Dilution/
Number	Fraction	Reanalysis
В4НК9	Yes	Yes
B4HL0	Yes	Yes
B4HL1	Yes	Yes
B4HL2	Yes	Yes
B4HL3	Yes	Yes
B4HL4	Yes	No
B4HL5	Yes	Yes
B4HL6	Yes	Yes
B4HL7	Yes	Yes
B4HL8	Yes	Yes
B4HL9	Yes	Yes
В4НМ0	Yes	Yes
B4HM0MS	Yes	No
B4HM0MSD	Yes	No
B4HM1	Yes	Yes
В4НМ2	Yes	Yes
В4НМ3	Yes	No
B4HM4	Yes	Yes
B4HM5	Yes	Yes
B4HM6	Yes	Yes
B4HM7	Yes	Yes
B4HM8	Yes	No

Columns	Aroclor #1 DB-XLB 30m x 0.32mm x 0.50um Aroclor #2 DB-35MS 30m x 0.32mm x 0.25um

PEST/Aroclor Equation	
	Soil sample concentration (ug/Kg) = $\frac{(Ax)(V_t)(DF)(GPC)}{(\overline{CF})(V_i)(W_s)(D)}$
	Where
	A _x is the response (peak area) of the compound to be measured.
·	CF is the mean calibration factor from the initial calibration (area/ng). DF is the dilution factor. GPC = V _{in} /V _{out} : GPC factor.
	V _{in} is the volume of extract loaded onto GPC column.
	V _{out} is the volume of extract collected after GPC cleanup.
•	V_t is volume of the concentrated extract in uL. (If no GPC cleanup is performed, then $V_t = 1000 \text{uL}$. If GPC cleanup is performed, then $V_t = V_{out}$.).
	V_i is the volume of the extract injected in uL.
'	W _s is the weight of sample extracted in g
	$D = \frac{100 - \% Moisture}{100 - \% Moisture}$
	100

Sample Receiving

The cooler temperature associated with these samples was 4.2°C.

p/31/07

Aroclor Fraction

All samples in the SDG were extracted by the Automated Solvent Extractor (ASE). To ensure proper extraction, approximately 15 grams of sample were used for extraction. The final volume of the extract was brought to 5mL, instead of 10mL, so the CRQLs remain the same.

I certify that this Sample Data Package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy Sample Data Package and in the electronic data deliverable has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Robert Zhu

Technical Director

Shealy Environmental Services, Inc. Contract Number: EPW05031

Date: 01/09/2008

RECEIVED JAN 1 0 2008

HAZ. WASTE SUPPORT SEC

SDG Narrative

Case 37088 SDG B4HP9

EPA Sample Numbers

EPA Sample	Aroclor	Dilution/
Number	Fraction	Reanalysis
B4HP9	Yes	Yes
B4HQ0	Yes	Yes
B4HQ1	Yes	No
B4HQ2	Yes	Yes
B4HQ2MS	Yes	No
B4HQ2MSD	Yes	No
B4HQ3	Yes	Yes
B4HQ4	Yes	Yes
B4HQ5	Yes	Yes
B4HQ6	Yes	Yes
B4HQ7	Yes	Yes
B4HQ8	Yes	Yes
B4HQ9	Yes	No
B4HR0	Yes	Yes
B4HR1	Yes	Yes
B4HR2	Yes	Yes
B4HR3	Yes	Yes
B4HR4	Yes	Yes
B4HR5	Yes	Yes
B4HR6	Yes	Yes
B4HR7	Yes	No
B4HR7MS	Yes	No
B4HR7MSD	Yes	No
B4HR8	Yes	No

Column	4 1 "1 77 17 74
Columns	Aroclor #1 DB-XLB 30m x 0.32mm x 0.50um
, ,	
	Aroclor #2 DB-35MS 30m x 0 32mm x 0 25um

PEST/Aroclor Equation	
	Soil sample concentration (ug/Kg) = $\frac{(Ax)(Vt)(DF)(GPC)}{(\overline{CF})(Vi)(Ws)(D)}$
	Where
	A_x is the response (peak area) of the compound to be measured.
	CF is the mean calibration factor from the initial calibration (area/ng).
	DF is the dilution factor.
	$GPC = V_{in}/V_{out}$: GPC factor.
	V _{in} is the volume of extract loaded onto GPC column.
	V _{out} is the volume of extract collected after GPC cleanup.
	V_t is volume of the concentrated extract in uL. (If no GPC cleanup is performed, then $V_t = 1000$ uL. If GPC cleanup is
	performed, then $V_t = V_{out}$.
	V _i is the volume of the extract injected in uL.
	W _s is the weight of sample extracted in g
	$D = \frac{100 - \% \text{Moisture}}{1}$
	100

Sample Receiving

The cooler temperatures associated with these samples were 3.2 and 4.2°C.

m 19/08

Aroclor Fraction

All samples in the SDG were extracted by the Automated Solvent Extractor (ASE). To ensure proper extraction, approximately 15 grams of sample were used for extraction. The final volume of the extract was brought to 5mL, instead of 10mL, so the CRQLs remain the same.

The recovery of aroclor 1260 for ALCS51 on the DB-35ms column was high and outside the acceptance limit. It was due to an interfered peak that contains extra peak area. The recovery was well within range on the DB-XLB column.

I certify that this Sample Data Package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy Sample Data Package and in the electronic data deliverable has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Robert Zhu


Technical Director



RECEIVED JAN U / 2008 HAZ. WASTE SUPPORT SEC

Sample Delivery Group (SDG) Cover Sheet

SDG Number: B4HK9							
Laboratory Name: Shealy Environmental			Laboratory Code: SHEALY				
Contract No.: EPW05031			Case No.:37088				
Analysis Price: \$440			SDG Turnaround: 21-DAY				
Modified Analysis (if ap	plicable): NO			•			
Modification Reference	No.: N/A		•				
EPA Sample Numbers in SDG (Listed in Numerical Order)							
1) B4HK9	7) B4HL5	13) E	34HM1	19) B4HM7			
2) B4HL0	8) B4HL6	14) E	34HM2	20) B4HM8			
3) B4HL1	9) B4HL7	15) E	34HM3	21) N/A			
4) B4HL2	10) B4HL8	16) E	34HM4	22)N/A			
5) B4HL3	11) B4HL9	17) E	34HM5	23)N/A			
6) B4HL4	12) B4HM0	18) E	34HM6	24)N/A			
В4НК9			DAID 10				
			В4НМ8				
First Sample in SDG			Last Sample in SD	G			
12/12/07			12/12/07				
First Sample Receipt Date Last Sample Receipt Date							
Allacii ille TR/CO	mum of 20 field samples [excl C Records to this form in alph	anume	ric order (the order lis	on (PE) samples] in an SDG. ted above on this form).			
Signature:							




Sample Delivery Group (SDG) Cover Sheet

RECEIVED

JAN 1 0 2008

HAZ WASTE SUPPORT SEC

			MAZ. WASTE GOLT OILL GEO		
SDG Number: B4HP9					
Laboratory Name: Shealy Environmental		Laboratory Cod	Laboratory Code: SHEALY		
Contract No.: EPW050)31	Case No.:3708	Case No.:37088		
Analysis Price: \$440		SDG Turnarou	SDG Turnaround: 21-DAY		
Modified Analysis (if ap	oplicable): NO				
Modification Reference	∍ No.: N/A				
EP	A Sample Numbers i	n SDG (Listed in Numerio	cal Order)		
1) B4HP9	7) B4HQ5	13) B4HR1	19) B4HR7		
2) B4HQ0	8) B4HQ6	14) B4HR2	20) B4HR8		
3) B4HQ1	9) B4HQ7	15) B4HR3	21) N/A		
4) B4HQ2	10) B4HQ8	16) B4HR4	22)N/A		
5) B4HQ3	11) B4HQ9	17) B4HR5	23)N/A		
6) B4HQ4	12) B4HR0	18) B4HR6	24)N/A		
÷					
В4НР9		B4RP8	B4RP8		
First Sample in SDG		Last Sample in	Last Sample in SDG		
12/12/07		12/13/07			
First Sample Receipt Date			Last Sample Receipt Date		
	·				
Note: There are a max Attach the TR/CO	imum of 20 field samples OC Records to this form i	n alphanumeric order (the ord	,		
Signature:	momanhal e	Date: _ 1 2 / 2	-0107		





Sample Delivery Group (SDG) Cover Sheet

SDG Number: B4HM9						
Laboratory Name: Shealy Environmental		Laboratory Code: SHEALY				
Contract No.: EPW05031		Case No.:37088				
Analysis Price: \$440		SDG Turnaround: 21-DAY				
Modified Analysis (if app	licable): NO					
Modification Reference No.: N/A						
EDA.	Committee Name to CD	0.41.4.11.11.				
EPA Sample Numbers in SDG (Listed in Numerical Order)						
1) B4HM9	7) B4HN5	13) B4HP1	19) B4HP7			
2) B4HN0	8) B4HN6	14) B4HP2	20) B4HP8			
3) B4HN1	9) B4HN7	15) B4HP3	21) N/A			
4) B4HN2	10) B4HN8	16) B4HP4	22)N/A			
5) B4HN3	11) B4HN9	17) B4HP5	23)N/A			
6) B4HN4	12) B4HP0	18) B4HP6	24)N/A			
В4НМ9		В4НР8				
First Sample in SDG Last Sample in SDG						
12/12/07		10/10/07				
First Sample Receipt Date Last Sample Receipt Date						
Note: There are a maxime Attach the TR/COC	um of 20 field samples [exclu Records to this form in alpha	uding Performance Evaluatio anumeric order (the order lis	on (PE) samples] in an SDG. ted above on this form).			
Signature:						